

Product Datasheet

TrkC [p Tyr820] Antibody NBP1-03448

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-03448

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-03448



NBP1-03448**TrkC [p Tyr820] Antibody**


Product Information	
Unit Size	0.1 ml
Concentration	This product is unpurified. The exact concentration of antibody is not quantifiable.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Reconstitution Instructions	Reconstitute in 0.1 ml of sterile water. Centrifuge to remove any insoluble material. Glycerol may be added (1:1) for additional stability. Please note the sample size is provided in reconstituted format.
Isotype	IgG
Purity	Unpurified
Buffer	Lyophilized from whole antisera

Product Description	
Description	Novus Biologicals Rabbit TrkC [p Tyr820] Antibody (NBP1-03448) is a polyclonal antibody validated for use in IHC and WB. Anti-TrkC Antibody: Cited in 4 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	4916
Gene Symbol	NTRK3
Species	Human, Mouse, Rat
Immunogen	A synthetic peptide to phospho Y820 of human TrkC (Trk-C, NTRK3, NT-3 growth factor receptor, GP145-TrkC) conjugated to an immunogenic carrier protein was used as the immunogen. The antigen is homologous in rat and mouse.

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 1:300-1:3000, Immunohistochemistry 1:300-1:3000, Immunohistochemistry-Paraffin 1:300-1:3000

Images

Western Blot: TrkC [p Tyr820] Antibody [NBP1-03448] - Rat brain lysate using Rabbit antibody to phospho Y820 TrkC: whole serum at 1:1000 dilution incubated overnight at 4 degrees C. A single band will be detected. Pre-absorption of the antibody with the immunising peptide completely abolishes the detected band.



Publications

Bollig-Fischer A, Bao B, Manning M et al. Role of novel cancer gene SLITRK3 to activate NTRK3 in squamous cell lung cancer Mol Biomed 2022-01-10 [PMID: 35006496]

Gomez-Pineda VG, Torres-Cruz FM, Vivar-Cortes CI, Hernandez-Echeagaray E. Neurotrophin-3 restores synaptic plasticity in the striatum of a mouse model of Huntington's disease. CNS Neurosci Ther. 2018-02-17 [PMID: 29453932] (Mouse)

Yang T, Massa SM, Tran KC et al. A small molecule TrkB/TrkC neurotrophin receptor co-activator with distinctive effects on neuronal survival and process outgrowth. Neuropharmacology 2016-06-19 [PMID: 27334657] (WB, Mouse)

Lawn S, Krishna N, Pisklakova A et al. Neurotrophin signaling via TrkB and TrkC Receptors promote the growth of Brain Tumor Initiating Cells. J. Biol. Chem. 2014-12-23 [PMID: 25538243] (WB, Human)

Details:

Phospho-TrkC [p-Tyr 820] used for Western blotting analysis of brain tumor initiating cells (BTICs). Western blotting analysis showing the Trk inhibitor, GW441756, efficiently blocked NT3 stimulated TrkC phosphorylation in BTICs (Fig. 5A and 5B).





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-03448

NBL1-13838	TrkC Overexpression Lysate
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-03448

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

