

# Product Datasheet

## E2F-4 Antibody - BSA Free NBP1-21374

Unit Size: 100 ul

Store at 4C. Do not freeze.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

### Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-21374](http://www.novusbio.com/NBP1-21374)

Updated 9/9/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-21374](http://www.novusbio.com/reviews/destination/NBP1-21374)



**NBP1-21374**

E2F-4 Antibody - BSA Free

Product Information	
Unit Size	100 ul
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)


Product Description	
Description	Novus Biologicals Rabbit E2F-4 Antibody - BSA Free (NBP1-21374) is a polyclonal antibody validated for use in IHC, WB and IP. Anti-E2F-4 Antibody: Cited in 3 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	1874
Gene Symbol	E2F4
Species	Human
Immunogen	The immunogen recognized by this antibody maps to a region between residue 363 and 413 of human E2F transcription factor 4 using the numbering given in entry NP_001941.2 (GeneID 1874).

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Immunoprecipitation, Knockdown Validated
Recommended Dilutions	Western Blot 1:2000-1:10000, Immunohistochemistry 1:500 - 1:2000, Immunoprecipitation 2-10 ug/mg lysate, Immunohistochemistry-Paraffin 1:500 - 1:2000, Knockdown Validated
Application Notes	Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue sections.




## Images


Western Blot: E2F-4 Antibody [NBP1-21374] - Detection of Human E2F4 by Western Blot. Samples: Whole cell lysate from HeLa (5, 15, 50 ug) and 293T (50ug) cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-E2F4 antibody NBP1-21374 used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.




Immunohistochemistry-Paraffin: E2F-4 Antibody [NBP1-21374] - Sample: FFPE section of human prostate carcinoma. Antibody: Affinity purified rabbit anti-E2F4 used at a dilution of 1:1,000 (1ug/ml). Detection: DAB



Immunoprecipitation: E2F-4 Antibody [NBP1-21374] - Detection of human E2F4 by western blot of immunoprecipitates. Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from HEK293T cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-E2F4 antibody NBP1-21374 used for IP at 6 ug per reaction. E2F4 was also immunoprecipitated by another rabbit anti-E2F4 antibody. For blotting immunoprecipitated E2F4, NBP1-21374 was used at 1 ug/ml. Detection: Chemiluminescence with an exposure time of 10 seconds.



Western Blot: E2F-4 Antibody [NBP1-21374] - Immunoblots of indicated proteins in OVCAR-8 and PEA1 cells transfected with control luciferase (Luc) and two independent E2F-4 siRNAs. Image collected and cropped by CiteAb from the following publication (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6789141/>) licensed under a CC-BY license.



## Publications

BC Fong, I Chakroun, MA Iqbal, S Paul, J Bastasic, D O'Neil, E Yakubovich, AT Bejjani, N Ahmadi, A Carter, A Clark, G Leone, DS Park, N Ghanem, R Vandebosc, RS Slack The Rb/E2F axis is a key regulator of the molecular signatures instructing the quiescent and activated adult neural stem cell state *Cell Reports*, 2022-11-01;41(5):111578. 2022-11-01 [PMID: 36323247]

Kanakkanthara A, Huntoon CJ, Hou X et al. ZC3H18 specifically binds and activates the BRCA1 promoter to facilitate homologous recombination in ovarian cancer *Nat Commun* 2019-10-11 [PMID: 31604914] (WB, Human)

Morillo SM, Abanto EP, Roman MJ et al. Nerve growth factor-induced cell cycle reentry in newborn neurons is triggered by p38MAPK-dependent E2F4 phosphorylation. *Mol Cell Biol* 2012-07-01 [PMID: 22586272]





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP1-21374**

---

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-21374](http://www.novusbio.com/reviews/submit/NBP1-21374)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

