

Product Datasheet

Fc gamma RII/RIII (CD32/CD16) Antibody (93) - Azide and BSA Free NBP1-27946

Unit Size: 0.25 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-27946

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-27946




NBP1-27946

Fc gamma RII/RIII (CD32/CD16) Antibody (93) - Azide and BSA Free


Product Information	
Unit Size	0.25 mg
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	93
Preservative	No Preservative
Isotype	IgG2a
Purity	Protein A or G purified
Buffer	PBS
Product Description	
Description	Novus Biologicals Rat Fc gamma RII/RIII (CD32/CD16) Antibody (93) - Azide and BSA Free (NBP1-27946) is a monoclonal antibody validated for use in IHC, Flow and IP. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rat
Gene ID	2214
Gene Symbol	FCGR3A
Species	Mouse
Immunogen	Murine CD16/32 (CD16/Fc gamma III and CD32/Fc gamma III receptors)
Product Application Details	
Applications	Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Frozen, Immunoprecipitation, Block/Neutralize
Recommended Dilutions	Flow Cytometry $\geq 3 \mu\text{g}/10^6$ cells, Immunohistochemistry, Immunoprecipitation 1:10-1:500, Immunohistochemistry-Frozen 1:10-1:500, Block/Neutralize

Images


Analysis using the PE conjugate of NBP1-27946. Multiple staining of BALB/c splenocytes.




Analysis using the PerCP/Cy5.5 conjugate of NBP1-27946. Staining of BALB/c splenocytes with 0.06 ug of Rat IgG2a K Isotype Control PerCP-Cy5.5 (open histogram) or 0.06 ug of Anti-Mouse CD16/CD32 PerCP-Cy5.5 (filled histogram). Total viable cells were used for analysis.



Analysis using the PE/Cy7 conjugate of NBP1-27946. Staining of BALB/c splenocytes with staining buffer (autofluorescence) (open histogram) or 0.125 ug of Anti-Mouse Fc gamma RII/RIII (CD32/CD16) PE-Cy7 (filled histogram). Total cells were used for analysis.



Staining of mouse splenocytes with Anti-Mouse Fc gamma RII/RIII (CD32/CD16) APC (left), and PE-Cy7 (right). Autofluorescence is shown via open histogram. Total cells were used for analysis.



Procedures

Immunohistochemistry-Paraffin Protocol for Fc gamma RII/RIII (CD32/CD16) Antibody (NBP1-27946)

Immunohistochemistry-Paraffin Embedded Sections

Antigen Unmasking:

Bring slides to a boil in 10 mM sodium citrate buffer (pH 6.0) then maintain at a sub-boiling temperature for 10 minutes. Cool slides on bench-top for 30 minutes (keep slides in the sodium citrate buffer at all times).

Staining:

1. Wash sections in deionized water three times for 5 minutes each.
2. Wash sections in PBS for 5 minutes.
3. Block each section with 100-400 ul blocking solution (1% BSA in PBS) for 1 hour at room temperature.
4. Remove blocking solution and add 100-400 ul diluted primary antibody. Incubate overnight at 4 C.
5. Remove antibody solution and wash sections in wash buffer three times for 5 minutes each.
6. Add 100-400 ul HRP polymer conjugated secondary antibody. Incubate 30 minutes at room temperature.
7. Wash sections three times in wash buffer for 5 minutes each.
8. Add 100-400 ul DAB substrate to each section and monitor staining closely.
9. As soon as the sections develop, immerse slides in deionized water.
10. Counterstain sections in hematoxylin.
11. Wash sections in deionized water two times for 5 minutes each.
12. Dehydrate sections.
13. Mount coverslips.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-27946

HAF005	Goat anti-Rat IgG Secondary Antibody [HRP]
NB7115	Goat anti-Rat IgG (H+L) Secondary Antibody [HRP]
NBP2-21947-0.1mg	Rat IgG2a Isotype Control (2A3)
210-TA-005	TNF-alpha [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-27946

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

