

Product Datasheet

Iduronate 2-Sulfatase/IDS Antibody NBP1-28477

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-28477

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-28477



NBP1-28477

Iduronate 2-Sulfatase/IDS Antibody

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Target Molecular Weight	62 kDa

Product Description	
Description	Novus Biologicals Goat Iduronate 2-Sulfatase/IDS Antibody (NBP1-28477) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-Iduronate 2-Sulfatase/IDS Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	3423
Gene Symbol	IDS
Species	Human
Specificity/Sensitivity	This antibody is expected to recognize isoform a (NP_000193.1).
Immunogen	Peptide with sequence C-KHFRFRDLEEDP corresponding to internal region according to NP_000193.1.

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA
Recommended Dilutions	Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 5 ug/ml, Immunohistochemistry-Paraffin 5 ug/ml, Peptide ELISA Detection limit 1:16000
Application Notes	WB: Approx. 60 kDa band observed in human liver lysates (calculated MW of 61.9 kDa band according to NP_000193.1). IHC-P: Human placenta shows lysosomal staining of trophoblasts.




Images

Western Blot: Iduronate 2-Sulfatase/IDS Antibody [NBP1-28477] - (0.1ug/ml) staining of Human Liver lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

250kDa
150kDa
100kDa
75kDa
50kDa
37kDa
25kDa
20kDa
15kDa

Immunohistochemistry-Paraffin: Iduronate 2-Sulfatase/IDS Antibody [NBP1-28477] - (3.8ug/ml) staining of Human Placenta. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Publications

Keeratichamroen S, Ketudat Cairns JR, Wattanasirichaigoon D et al. Molecular analysis of the iduronate-2-sulfatase gene in Thai patients with Hunter syndrome J Inherit Metab Dis 2008-05-20 [PMID: 18500569]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-28477

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-28477

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



