

Product Datasheet

hnRNP K Antibody NBP1-30975

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-30975

Updated 9/25/2025 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-30975



NBP1-30975

hnRNP K Antibody


| Product Information | |
|--------------------------------|--|
| Unit Size | 100 ul |
| Concentration | Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.025% Proclin 300 |
| Isotype | IgG |
| Purity | Antigen Affinity-purified |
| Buffer | PBS, 1% BSA, 20% Glycerol |
| Target Molecular Weight | 51 kDa |

| Product Description | |
|-------------------------|--|
| Description | Novus Biologicals Rabbit hnRNP K Antibody (NBP1-30975) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee. |
| Host | Rabbit |
| Gene ID | 3190 |
| Gene Symbol | HNRNPK |
| Species | Human, Mouse, Rat |
| Reactivity Notes | Xenopus laevis (81%). |
| Immunogen | Recombinant protein encompassing a sequence within the center region of human hnRNP K. The exact sequence is proprietary. |


| Product Application Details | |
|------------------------------|--|
| Applications | Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry |
| Recommended Dilutions | Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000 |

Images


Western Blot: hnRNP K Antibody [NBP1-30975] - Various whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with hnRNP K antibody diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.




Immunocytochemistry/Immunofluorescence: hnRNP K Antibody [NBP1-30975] - HeLa cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: hnRNP K stained by hnRNP K antibody diluted at 1:500. Red: phalloidin, a cytoskeleton marker, diluted at 1:100.




Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] - Paraffin-embedded H1299 xenograft, using antibody at 1:100 dilution.




Western Blot: hnRNP K Antibody [NBP1-30975] - Sample (50 ug of whole cell lysate) A: Mouse brain 10% SDS PAGE; antibody diluted at 1:1000.




Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] - Paraffin-embedded mouse urinary bladder. hnRNP K antibody dilution: 1:500.




Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] - Paraffin-embedded mouse colon. hnRNP K antibody dilution: 1:500.




Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] - Paraffin-embedded rat brain stem. hnRNP K antibody dilution: 1:500.




Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] - hnRNP K antibody detects hnRNP K protein at nucleus by immunohistochemical analysis. Sample: Paraffin-embedded mouse testis. hnRNP K stained by hnRNP K antibody (NBP1-30975) diluted at 1:1000. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min




Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] - hnRNP K antibody detects hnRNP K protein at nucleus by immunohistochemical analysis. Sample: Paraffin-embedded mouse brain. hnRNP K stained by hnRNP K antibody (NBP1-30975) diluted at 1:1000. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] - hnRNP K antibody detects hnRNP K protein at nucleus by immunohistochemical analysis. Sample: Paraffin-embedded rat heart. hnRNP K stained by hnRNP K antibody (NBP1-30975) diluted at 1:1000. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



Immunohistochemistry-Paraffin: hnRNP K Antibody [NBP1-30975] - hnRNP K antibody detects hnRNP K protein at nucleus by immunohistochemical analysis. Sample: Paraffin-embedded rat kidney. hnRNP K stained by hnRNP K antibody (NBP1-30975) diluted at 1:1000. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-30975

| | |
|-------------|---|
| NBP2-33376H | Blue Marker Antibody (6F4-F6) [HRP] |
| HAF008 | Goat anti-Rabbit IgG Secondary Antibody [HRP] |
| NB7160 | Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP] |
| NBP2-24891 | Rabbit IgG Isotype Control |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-30975

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

