

Product Datasheet

VAP-A Antibody - BSA Free

NBP1-31237

Unit Size: 100 ul

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 5

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-31237

Updated 10/15/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-31237



NBP1-31237

VAP-A Antibody - BSA Free


Product Information	
Unit Size	100 ul
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.01% Thimerosal
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	0.1M Tris, 0.1M Glycine, 10% Glycerol
Target Molecular Weight	28 kDa

Product Description	
Description	Novus Biologicals Rabbit VAP-A Antibody - BSA Free (NBP1-31237) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-VAP-A Antibody: Cited in 5 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	9218
Gene Symbol	VAPA
Species	Human, Mouse, Rat
Immunogen	Carrier-protein conjugated synthetic peptide encompassing a sequence within the center region of human VAP-A. The exact sequence is proprietary.


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin 1:100-1:1000

Images


Western Blot: VAP-A Antibody [NBP1-31237] - Rat tissue extract (50 ug) was separated by 12% SDS-PAGE, and the membrane was blotted with VAPA antibody [N1N3] diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.



Immunocytochemistry/Immunofluorescence: VAP-A Antibody [NBP1-31237] - WDR44 tubules are in close contact with the ER via binding to VAPA/B. Confocal images of transfected HeLa cells showing colocalization of GRAF2-RFP tubules with GFP-VAPA. Image collected and cropped by CiteAb from the following publication ([//rupress.org/jcb/article/doi/10.1083/jcb.201811014/151714/GRAF2-WDR44-and-MICAL1-mediate-Rab81011dependent](https://rupress.org/jcb/article/doi/10.1083/jcb.201811014/151714/GRAF2-WDR44-and-MICAL1-mediate-Rab81011dependent)) licensed under a CC-BY license.




Immunohistochemistry-Paraffin: VAP-A Antibody [NBP1-31237] - Human breast cancer, using VAPA antibody at 1:500 dilution.




Western Blot: VAP-A Antibody [NBP1-31237] - Analysis of antibody on A:NIH-3T3 12% SDS PAGE diluted at 1:1000




Western Blot: VAP-A Antibody [NBP1-31237] - Mouse tissue extract (50 ug) was separated by 12% SDS-PAGE, and the membrane was blotted with VAPA antibody [N1N3] diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.



Immunohistochemistry-Paraffin: VAP-A Antibody [NBP1-31237] - Human lung adenocarcinoma, using VAPA antibody at 1:500 dilution.



Western Blot: VAP-A Antibody [NBP1-31237] - Whole cell extract (30 ug) was separated by 12% SDS-PAGE, and the membrane was blotted with VAP-A antibody [N1N3] (NBP1-31237) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.



Publications

Boutry M, Kim PK ORP1L mediated PI(4)P signaling at ER-lysosome-mitochondrion three-way contact contributes to mitochondrial division Nature communications 2021-09-09 [PMID: 34504082] (WB, Human)

Lucken-Ardjomande HASler S, Vallis Y, Pasche M, McMahon HT GRAF2, WDR44, and MICAL1 mediate Rab8/10/11-dependent export of E-cadherin, MMP14, and CFTR delta, F508 J. Cell Biol. 2020-05-04 [PMID: 32344433] (WB, Human)

Sclip A, Bacaj T, Giam LR, Sudhof TC Extended Synaptotagmin (ESyt) Triple Knock-Out Mice Are Viable and Fertile without Obvious Endoplasmic Reticulum Dysfunction. PLoS One 2016-06-27 [PMID: 27348751] (WB)

Zhang H, Lamon BD, Moran G et al. Pitavastatin Differentially Modulates MicroRNA-Associated Cholesterol Transport Proteins in Macrophages PLoS ONE 2016-07-15 [PMID: 27415822] (WB, Mouse)

Eyre NS, Fiches GN, Aloia AL et al. Dynamic Imaging of the Hepatitis C Virus NS5A Protein during a Productive Infection. J. Virol. 2014-04-01 [PMID: 24429364] (WB, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-31237

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-31237

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

