

# Product Datasheet

## COX5A Antibody - BSA Free

### NBP1-32550

Unit Size: 100 ul

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

#### Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-32550](http://www.novusbio.com/NBP1-32550)

Updated 9/25/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-32550](http://www.novusbio.com/reviews/destination/NBP1-32550)



**NBP1-32550**

COX5A Antibody - BSA Free


Product Information	
Unit Size	100 ul
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.01% Thimerosal
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	0.1M Tris, 0.1M Glycine, 10% Glycerol
Target Molecular Weight	17 kDa

Product Description	
Description	Novus Biologicals Rabbit COX5A Antibody - BSA Free (NBP1-32550) is a polyclonal antibody validated for use in IHC, WB, ICC/IF and Simple Western. Anti-COX5A Antibody: Cited in 3 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	9377
Gene Symbol	COX5A
Species	Human, Mouse, Zebrafish
Reactivity Notes	Xenopus laevis (86%).
Immunogen	Recombinant protein encompassing a sequence within the center region of human COX5A. The exact sequence is proprietary.


Product Application Details	
Applications	Western Blot, Simple Western, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:1000-1:10000, Simple Western 1:10, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000
Application Notes	See <a href="#">Simple Western Antibody Database</a> for Simple Western validation: Tested in Brain, separated by Size, antibody dilution of 1:10

**Images**


Western Blot: COX5A Antibody [NBP1-32550] - Various whole cell extracts (30 ug) were separated by 15% SDS-PAGE, and the membrane was blotted with COX5A antibody [N1C3] diluted at 1:5000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody, and the signal was developed with Trident ECL plus-Enhanced.




Immunocytochemistry/Immunofluorescence: COX5A Antibody [NBP1-32550] - A431.




Immunohistochemistry-Paraffin: COX5A Antibody [NBP1-32550] - Analysis of paraffin-embedded zebrafish tissue, using COX5A antibody [N1C3] at 1:300 dilution.




Western Blot: COX5A Antibody [NBP1-32550] - Various tissue extracts (50 ug) were separated by 15% SDS-PAGE, and the membrane was blotted with COX5A antibody [N1C3] diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.




Western Blot: COX5A Antibody [NBP1-32550] - Sample (30 ug of whole cell lysate) A: zebrafish eye 15% SDS PAGE diluted at 1:1000




Immunohistochemistry-Paraffin: COX5A Antibody [NBP1-32550] - Cal27 xenograft, using COX5A antibody at 1:500 dilution. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.



Immunohistochemistry-Paraffin: COX5A Antibody [NBP1-32550] - Mouse prostate. COX5A antibody [N1C3] diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.



Immunohistochemistry-Paraffin: COX5A Antibody [NBP1-32550] - Mouse cervix. COX5A antibody [N1C3] diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.



## Publications

Li J, Jaiswal MK, Chien JF et al. Divergent single cell transcriptome and epigenome alterations in ALS and FTD patients with C9orf72 mutation Nat Commun 2023-09-15 [PMID: 37714849] (Western Blot, Human)

Katoh M, Wu B, Nguyen HB et al. Polymorphic regulation of mitochondrial fission and fusion modifies phenotypes of microglia in neuroinflammation Sci Rep 2017-07-10 [PMID: 28694451] (ICC/IF, Mouse)

Kozjak-Pavlovic V, Prell F, Thiede B et al. C1orf163/RESA1 Is a Novel Mitochondrial Intermembrane Space Protein Connected to Respiratory Chain Assembly. J Mol Biol 2013-12-09 [PMID: 24333015] (WB, Human)



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP1-32550**

---

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-32550](http://www.novusbio.com/reviews/submit/NBP1-32550)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

