

Product Datasheet

MAP1B [p Thr1265] Antibody - SuperBUGS - BSA Free NBP1-42827

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 11

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-42827

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-42827



NBP1-42827

MAP1B [p Thr1265] Antibody - SuperBUGS - BSA Free

| Product Information | |
|-----------------------------|---|
| Unit Size | 0.1 ml |
| Concentration | 0.12 mg/ml |
| Storage | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG |
| Purity | Immunogen affinity purified |
| Buffer | PBS |
| Target Molecular Weight | 320 kDa |
| Product Description | |
| Description | Novus Biologicals Rabbit MAP1B [p Thr1265] Antibody - SuperBUGS - BSA Free (NBP1-42827) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-MAP1B Antibody: Cited in 10 publications. All Novus Biologicals antibodies are covered by our 100% guarantee. |
| Host | Rabbit |
| Gene ID | 4131 |
| Gene Symbol | MAP1B |
| Species | Human, Mouse, Rat, Chicken, Fish, Monkey, Reptile, Xenopus |
| Reactivity Notes | Use in Monkey reported in scientific literature (PMID:22654911). |
| Marker | Neuronal Marker |
| Specificity/Sensitivity | Phosphorylated Thr1265 on MAP1B (Thr1261 in rat). |
| Immunogen | Phosphopeptide made to a C-terminal portion of rat MAP1B. [Swiss-Prot# P15205] |
| Product Application Details | |
| Applications | Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen |
| Recommended Dilutions | Western Blot 1:1000-1:3000, Immunohistochemistry 1:1000, Immunocytochemistry/ Immunofluorescence 1:200, Immunohistochemistry-Frozen 1:1000 |
| Application Notes | <p>This MAP1B [p Thr1265] antibody (also known as SuperBUGS) is useful for Western blot, Immunocytochemistry/Immunofluorescence and Immunohistochemistry on frozen sections. In WB a band can be seen at ~320 kDa. Recommended Blocking Buffer for ICC/IF and IHC: 5% (v/v) normal horse serum, 5% (v/v) normal goat serum, 0.2% (w/v) L-lysine, 0.2% (v/v) Triton X-100 in PBS pH 7.2</p> <p>The observed molecular weight of the protein may vary from the listed predicted molecular weight due to post translational modifications, post translation cleavages, relative charges, and other experimental factors.</p> |

Images


Western Blot: MAP1B [p Thr1265] Antibody - SuperBUGS [NBP1-42827]
- Analysis of phosphorylated MAP1B in chick embryos (lane 1) and rat neonatal brain (lane 2).

1 2 ← MAP1B

Immunohistochemistry: MAP1B [p Thr1265] Antibody - SuperBUGS [NBP1-42827] - Immunohistochemical analysis of rat spinal cord transverse section from an E12 embryo.



Western Blot: MAP1B [p Thr1265] Antibody - SuperBUGS [NBP1-42827]
- Western blot analysis of p62, Nbr1, MAP1B-HC, and MAP1B-LC1 protein levels following blockage of autophagic protein degradation. Phospho-MAP1B-HC is degraded by autophagy. Upon blockage of autophagic degradation with Bafilomycin A1: (Baf), levels of phospho-MAP1B-HC increase compared with levels of total MAP1B-HC. Image collected and cropped by CiteAb from the following publication (<https://www.hindawi.com/journals/ijcb/2012/208014/>), licensed under a CC-BY license.



Publications

Su P, Tian Y, Yin C, Wang X et Al. MACF1 promotes osteoblastic cell migration by regulating MAP1B through the GSK3beta/TCF7 pathway Bone 2021-10-26 [PMID: 34700040]

Jisook Moon, Sigrid C. Schwarz, Hyun Seob Lee, Jun Mo Kang, Young Eun Lee, Bona Kim, Mi Young Sung, Günter Höglinger, Florian Wegner, Jin Su Kim, Hyung Min Chung, Sung Woon Chang, Kwang Yul Cha, Kwang Soo Kim, Johannes Schwarz Preclinical Analysis of Fetal Human Mesencephalic Neural Progenitor Cell Lines: Characterization and Safety In Vitro and In Vivo Stem Cells Translational Medicine 2016-09-02 [PMID: 28191758]

Yan Guo, Pan Xiang, Xiaojiao Sun, Wei Liu, Jiafeng Zhou, Bin Yin, Lin Hou, Boqin Qiang, Huiliang Li, Pengcheng Shu, Xiaozhong Peng Docking protein 6 (DOK6) selectively docks the neurotrophic signaling transduction to restrain peripheral neuropathy Signal Transduction and Targeted Therapy 2024-02-14 [PMID: 38351062]

Marchbank K, Waters S, Roberts RG et al. Marchbank K, Waters S, Roberts RG et al. MAP1B Interaction with the FW Domain of the Autophagic Receptor Nbr1 Facilitates Its Association to the Microtubule Network Int J Cell Biol 2012-05-10 [PMID: 22654911] (WB, Monkey)

Details:

Chlorocebus sabaeus (Green monkey)

Ketschek A, Jones S, Spillane M et al. Nerve growth factor promotes reorganization of the axonal microtubule array at sites of axon collateral branching Dev Neurobiol 2015-04-02 [PMID: 25846486] (ICC/IF, Chicken)

Ma QL, Zuo X, Yang F et al. Loss of MAP Function Leads to Hippocampal Synapse Loss and Deficits in the Morris Water Maze with Aging. J. Neurosci. 2014-05-21 [PMID: 24849348] (IHC-Fr, WB, Mouse)

Capoccia BJ, Jin RU, Kong YY et al. The ubiquitin ligase Mindbomb 1 coordinates gastrointestinal secretory cell maturation J Clin Invest 2013-04-01 [PMID: 23478405] (ICC/IF, Mouse, Human)

Pimentel HI da CA. Glycogen synthase kinase 3[beta] modulation in axonal regeneration. 2011 Universidade de Aveiro. 2011-01-01

Tymanskyj SR, Lin S, Gordon-Weeks PR. Evolution of the spatial distribution of MAP1B phosphorylation sites in vertebrate neurons. J Anat. 2010-04-09 [PMID: 20408908] (IHC-Fr, ICC/IF, WB, Xenopus, Reptile, Rat, Chicken, Fish)

Trivedi N, Marsh P, Goold RG, Wood-Kaczmar A, Gordon-Weeks PR. Glycogen synthase kinase-3beta phosphorylation of MAP1B at Ser1260 and Thr1265 is spatially restricted to growing axons. J Cell Sci;118(Pt 5):993-1005. 2005-03-01 [PMID: 15731007] (IHC-Fr, WB, ICC/IF, Rat)

Scales TM, Lin S, Kraus M, Goold RG, Gordon-Weeks PR. Nonprimed and DYRK1A-primed GSK3 beta-phosphorylation sites on MAP1B regulate microtubule dynamics in growing axons. J Cell Sci;122(Pt 14):2424-35. 2009-07-15 [PMID: 19549690] (IHC-Fr, WB, Rat)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-42827

| | |
|-------------|---|
| NBP2-33376H | Blue Marker Antibody (6F4-F6) [HRP] |
| HAF008 | Goat anti-Rabbit IgG Secondary Antibody [HRP] |
| NB7160 | Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP] |
| NBP2-24891 | Rabbit IgG Isotype Control |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-42827

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

