

Product Datasheet

T-bet/TBX21 Antibody (4B10) - BSA Free **NBP1-43298-0.1mg**

Unit Size: 0.1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-43298

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-43298



NBP1-43298-0.1mg

T-bet/TBX21 Antibody (4B10) - BSA Free

Product Information

Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	4B10
Preservative	0.09% Sodium Azide
Isotype	IgG1 Kappa
Purity	Protein A or G purified
Buffer	PBS (pH 7.2)

Product Description


Description	Novus Biologicals Mouse T-bet/TBX21 Antibody (4B10) - BSA Free (NBP1-43298) is a monoclonal antibody validated for use in WB, Flow and IP. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	30009
Gene Symbol	TBX21
Species	Human, Mouse, Rhesus Macaque
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information.
Immunogen	The immunogen for this antibody was TBet.

Product Application Details


Applications	Western Blot, Flow Cytometry, Flow (Intracellular), Immunoprecipitation
Recommended Dilutions	Western Blot 1:100-1:2000, Flow Cytometry 1:10-1:1000, Immunoprecipitation 1:10-1:500, Flow (Intracellular)
Application Notes	This 4B10 antibody has been tested by western blot analysis of Th1-polarized mouse CD4+ T cells and can be used at 2 ug/ml as a starting dilution for western blotting.

Images

Western Blot: T-bet/TBX21 Antibody (4B10) [NBP1-43298] - CD4+ T cells were sorted from mouse spleen, activated with Anti-Mouse CD3 and Anti-Mouse CD28, followed by culture in Th1-polarizing conditions, and re-activation with PMA and Ionomycin. Lysates from control (left) or PMA and Ionomycin-re-activated (right)



Flow (Intracellular): T-bet/TBX21 Antibody (4B10) [NBP1-43298] - Intracellular staining of normal human peripheral blood cells with Anti-Human CD8a APC and 0.125 ug of Anti-Human/Mouse T-bet PerCP-Cy5.5 using the FoXP3 Fixation/Permeabilization Buffers. Cells in the lymphocyte gate were used for analysis. Image using the PerCP/Cy5.5 format of this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-43298-0.1mg

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)
NBP1-43298APC	T-bet/TBX21 Antibody (4B10) [Allophycocyanin]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-43298

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications