

Product Datasheet

PSMD11 Antibody NBP1-46191

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 12

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-46191

Updated 9/9/2025 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-46191



NBP1-46191

PSMD11 Antibody


Product Information	
Unit Size	0.1 ml
Concentration	0.2 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	TBS and 0.1% BSA

Product Description	
Description	Novus Biologicals Rabbit PSMD11 Antibody (NBP1-46191) is a polyclonal antibody validated for use in WB and IP. Anti-PSMD11 Antibody: Cited in 11 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	5717
Gene Symbol	PSMD11
Species	Human, Mouse, Drosophila
Reactivity Notes	X. tropicalis (100%). Use in Drosophila reported in scientific literature (PMID:31002009).
Immunogen	The immunogen for this product maps to a region between residue 175 and 225 of human Proteasome (Prosome, Macropain) 26S Subunit, non-ATPase, 11 using the numbering given in entry NP_002806.2 (GeneID 5717).


Product Application Details	
Applications	Western Blot, Immunoprecipitation
Recommended Dilutions	Western Blot 1:2000-1:10000, Immunoprecipitation 2-5 ug/mg lysate
Application Notes	Western blot of lysates performed using standard western blot reagents and 4-20% SDS-PAGE.

Images

Western Blot: PSMD11 Antibody [NBP1-46191] - Treatment of human skin fibroblasts with 6BIO activated proteostatic modules. Representative immunoblot analyses of the autophagy-related Beclin1 and the 26S proteasome subunits Rpn6 (PSMD11), Rpt6, alpha7 and beta5 expression levels after cell exposure to the shown concentrations of 6BIO for 36 h. Image collected and cropped by CiteAb from the following publication (<https://www.nature.com/articles/s41598-017-11662-7>), licensed under a CC-BY license.



Western Blot: PSMD11 Antibody [NBP1-46191] - Whole cell lysate from HeLa (5, 15 and 50 mcg for WB; 1 mg for IP, 20% of IP loaded), 293T (T; 50 mcg), and mouse NIH3T3 (M; 50 mcg) cells. Affinity purified rabbit anti-PSMD11 antibody used for WB at 0.04 mcg/ml (A) and 0.4 mcg/ml (B) and used for IP at 3 mcg/mg lysate. PSMD11 was also immunoprecipitated by rabbit anti-PSMD11 antibody NBP1-46192, which recognizes a downstream epitope.



Publications

Schlesser C, Meul T, Stathopoulos G, Meiners S. Metformin Induces Resistance of Cancer Cells to the Proteasome Inhibitor Bortezomib *Biomolecules* 2022-05-28 [PMID: 35740881] (Western Blot, Human)

Gumeni S, Lamprou M, Evangelakou Z et al. Sustained Nrf2 Overexpression-Induced Metabolic Deregulation Can Be Attenuated by Modulating Insulin/Insulin-like Growth Factor Signaling *Cells* 2023-11-18 [PMID: 37998385]

Manola MS, Gumeni S, Trougakos IP Differential Dose- and Tissue-Dependent Effects of foxo on Aging, Metabolic and Proteostatic Pathways *Cells* 2021-12-18 [PMID: 34944088] (WB, Drosophila)

Dina E, Sklirou A, Chatzigeorgiou S et al. An enriched polyphenolic extract obtained from the by-product of *Rosa damascena* hydrodistillation activates antioxidant and proteostatic modules *Phytomedicine* 2021-09-01 [PMID: 34619431] (WB, Human, Drosophila)

Yazgili AS, Meul T, Welk V et al. In-gel proteasome assay to determine the activity, amount, and composition of proteasome complexes from mammalian cells or tissues *STAR protocols* 2021-06-18 [PMID: 34027484]

Tsakiri E N, Gumeni S et al. Proteasome dysfunction induces excessive proteome instability and loss of mitostasis that can be mitigated by enhancing mitochondrial fusion or autophagy. *Autophagy* 2019-04-19 [PMID: 31002009] (WB, Drosophila)

Meul T, Berschneider K, Schmitt S et al. Mitochondrial Regulation of the 26S Proteasome *Cell Rep* 2020-08-25 [PMID: 32846138] (WB, Mouse)

Berschneider K Connecting the functions of the proteasome and mitochondria in the lung Thesis 2016-01-01 (WB, Mouse)

Nath SR, Yu Z, Gipson TA et al. Androgen receptor polyglutamine expansion drives age-dependent quality control defects and muscle dysfunction *J. Clin. Invest.* 2018-05-29 [PMID: 29809168] (WB, Mouse)

Sklirou AD, Gaboriaud-Kolar N, Papassideri I et al. 6-bromo-indirubin-3'-oxime (6BIO), a Glycogen synthase kinase-3B inhibitor, activates cytoprotective cellular modules and suppresses cellular senescence-mediated biomolecular damage in human fibroblasts *Sci Rep* 2017-09-15 [PMID: 28916781]

Tsakiri E, Gaboriaud-Kolar N, Iliaki K et al. The indirubin derivative 6-Bromoindirubin-3'-oxime (6BIO) activates proteostatic modules, reprograms cellular bioenergetics pathways and exerts anti-aging effects. *Antioxid. Redox Signal.* 2017-03-02 [PMID: 28253732]

Welk V, Coux O, Kleene V et al. Inhibition of Proteasome Activity Induces Formation of Alternative Proteasome Complexes. *J. Biol. Chem.* 2016-04-18 [PMID: 27129254] (WB, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-46191

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-46191

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

