

Product Datasheet

Isocitrate Dehydrogenase 1/IDH1 Antibody (OTI2H9) NBP1-47804

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-47804

Updated 9/9/2025 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-47804



NBP1-47804**Isocitrate Dehydrogenase 1/IDH1 Antibody (OTI2H9)**


Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI2H9
Preservative	0.02% Sodium Azide
Isotype	IgG1
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
Target Molecular Weight	46.7 kDa

Product Description	
Description	Novus Biologicals Knockout (KO) Validated Mouse Isocitrate Dehydrogenase 1/IDH1 Antibody (OTI2H9) (NBP1-47804) is a monoclonal antibody validated for use in IHC, WB and ICC/IF. Anti-Isocitrate Dehydrogenase 1/IDH1 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	3417
Gene Symbol	IDH1
Species	Human, Mouse, Rat
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
Specificity/Sensitivity	This antibody is specific for Homo sapiens isocitrate dehydrogenase 1 (NADP+), soluble (IDH1).
Immunogen	Full-length protein expressed in 293T cell transfected with human IDH1 expression vector


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Knockout Validated
Recommended Dilutions	Western Blot 1:2000, Immunohistochemistry 1:50, Immunocytochemistry/Immunofluorescence 1:100, Immunohistochemistry-Paraffin 1:50, Knockout Validated

Images


Western Blot: Isocitrate Dehydrogenase 1/IDH1 Antibody (OT12H9) [NBP1-47804] - Western blot shows lysates of HeLa human cervical epithelial carcinoma parental cell line and IDH1 knockout (KO) HeLa cell line. PVDF membrane was probed with 1:2,000 of Mouse Anti-Human IDH1 monoclonal Antibody (Catalog # NBP1-47804) followed by HRP-conjugated Anti-Mouse IgG Secondary Antibody (Catalog #HAF018). Specific band was detected for IDH1 at approximately 38 kDa (as indicated) in the parental HeLa cell line, but is not detectable in the knockout HeLa cell line. This experiment was conducted under reducing conditions.




Western Blot: Isocitrate Dehydrogenase 1/IDH1 Antibody (2H9) [NBP1-47804] - Analysis of extracts (35ug) from 9 different cell lines by using anti-Isocitrate dehydrogenasemonoclonal antibody.




Immunocytochemistry/Immunofluorescence: Isocitrate Dehydrogenase 1/IDH1 Antibody (OT12H9) [NBP1-47804] - Isocitrate Dehydrogenase 1/IDH1 Antibody (2H9) [NBP1-47804] - Staining of COS7 cells transiently transfected by pCMV6-ENTRY Isocitrate dehydrogenase.




Immunohistochemistry-Paraffin: Isocitrate Dehydrogenase 1/IDH1 Antibody (2H9) [NBP1-47804] - Endometrium tissue.




Western Blot: Isocitrate Dehydrogenase 1/IDH1 Antibody (2H9) [NBP1-47804] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY Isocitrate dehydrogenase(Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-Isocitrate dehydrogenase.



Immunohistochemistry-Paraffin: Isocitrate Dehydrogenase 1/IDH1 Antibody (2H9) [NBP1-47804] - Staining of paraffin-embedded breast tissue using anti-Isocitrate dehydrogenase mouse monoclonal antibody.



Immunohistochemistry-Paraffin: Isocitrate Dehydrogenase 1/IDH1 Antibody (2H9) [NBP1-47804] - Staining of paraffin-embedded endometrium tissue using anti-Isocitrate dehydrogenase mouse monoclonal antibody.



Isocitrate Dehydrogenase 1/IDH1 Antibody (OTI2H9)[NBP1-47804] Simple Western analysis of endogenous protein PP5 (PPP5C) from SH-SY5Y lysates (0.2mg/mL) using PPP5C Mouse Monoclonal Antibody . The virtual lane view (left) shows the target (as indicated) at a 1:50 dilution of primary antibody. The corresponding electropherogram view (right) plots chemiluminescence by molecular weight along the capillary at a 1:50 dilution of primary antibody. This experiment was performed under reducing conditions on the Jess Simple Western instrument from ProteinSimple, a Bio-Techne brand, using the 12-230 kDa Separation Module.



Publications

Pathmanapan, S;Poon, R;De Renshaw, TB;Nadesan, P;Nakagawa, M;Seesankar, GA;Ho Loe, AK;Zhang, HH;Guinovart, JJ;Duran, J;Newgard, CB;Wunder, JS;Alman, BA; Mutant IDH regulates glycogen metabolism from early cartilage development to malignant chondrosarcoma formation Cell reports 2023-06-01 [PMID: 37267108] (IHC, Human, Mouse)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-47804

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-47804

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

