

# Product Datasheet

## PDE10A Antibody (OTI1C9)

### NBP1-47909

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-47909](http://www.novusbio.com/NBP1-47909)

Updated 9/9/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-47909](http://www.novusbio.com/reviews/destination/NBP1-47909)



**NBP1-47909**

PDE10A Antibody (OTI1C9)

Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI1C9
Preservative	0.02% Sodium Azide
Isotype	IgG2b
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
Target Molecular Weight	88.4 kDa


Product Description	
Description	Novus Biologicals Mouse PDE10A Antibody (OTI1C9) (NBP1-47909) is a monoclonal antibody validated for use in IHC and WB. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	10846
Gene Symbol	PDE10A
Species	Human, Mouse, Rat
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
Specificity/Sensitivity	This antibody is specific for Homo sapiens phosphodiesterase 10A (PDE10A), transcript variant 2.
Immunogen	Full-length protein expressed in 293T cell transfected with human PDE10A expression vector

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500, Immunohistochemistry 1:50, Immunohistochemistry-Paraffin 1:50




## Images


Western Blot: PDE10A Antibody (1C9) [NBP1-47909] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY PDE10A(Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PDE10A.




Immunohistochemistry-Paraffin: PDE10A Antibody (1C9) [NBP1-47909] - Staining of paraffin-embedded prostate tissue using anti-PDE10A mouse monoclonal antibody.




Immunohistochemistry-Paraffin: PDE10A Antibody (1C9) [NBP1-47909] - Staining of paraffin-embedded Adenocarcinoma of breast tissue using anti-PDE10A mouse monoclonal antibody.




Immunohistochemistry-Paraffin: PDE10A Antibody (1C9) [NBP1-47909] - Staining of paraffin-embedded Adenocarcinoma of colon tissue using anti-PDE10A mouse monoclonal antibody.




Immunohistochemistry-Paraffin: PDE10A Antibody (1C9) [NBP1-47909] - Staining of paraffin-embedded Adenocarcinoma of ovary tissue using anti-PDE10A mouse monoclonal antibody.




Immunohistochemistry-Paraffin: PDE10A Antibody (1C9) [NBP1-47909] - Staining of paraffin-embedded bladder tissue using anti-PDE10A mouse monoclonal antibody.




Immunohistochemistry-Paraffin: PDE10A Antibody (1C9) [NBP1-47909] - Staining of paraffin-embedded Carcinoma of bladder tissue using anti-PDE10A mouse monoclonal antibody.




Immunohistochemistry-Paraffin: PDE10A Antibody (1C9) [NBP1-47909] - Staining of paraffin-embedded Carcinoma of thyroid tissue using anti-PDE10A mouse monoclonal antibody.




Immunohistochemistry-Paraffin: PDE10A Antibody (1C9) [NBP1-47909] - Staining of paraffin-embedded colon tissue using anti-PDE10A mouse monoclonal antibody.



Immunohistochemistry-Paraffin: PDE10A Antibody (1C9) [NBP1-47909] - Staining of paraffin-embedded endometrium tissue using anti-PDE10A mouse monoclonal antibody.



Immunohistochemistry-Paraffin: PDE10A Antibody (1C9) [NBP1-47909] - Staining of paraffin-embedded Ovary tissue using anti-PDE10A mouse monoclonal antibody.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP1-47909**

---

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP2-27231	Mouse IgG2b Isotype Control (MPC-11)

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-47909](http://www.novusbio.com/reviews/submit/NBP1-47909)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

