

Product Datasheet

Cytokeratin 8 Antibody (OTI1B12) NBP1-48281

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-48281

Updated 9/9/2025 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-48281



NBP1-48281**Cytokeratin 8 Antibody (OTI1B12)**

Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI1B12
Preservative	0.02% Sodium Azide
Isotype	IgG2b
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
Target Molecular Weight	53.5 kDa


Product Description	
Description	Novus Biologicals Mouse Cytokeratin 8 Antibody (OTI1B12) (NBP1-48281) is a monoclonal antibody validated for use in IHC, WB and ICC/IF. Anti-Cytokeratin 8 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	3856
Gene Symbol	KRT8
Species	Human, Mouse, Rat, Canine, Monkey
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
Marker	Epithelial Cell Marker
Specificity/Sensitivity	This antibody is specific for Homo sapiens keratin 8 (KRT8).
Immunogen	Human recombinant protein fragment corresponding to amino acids 91-381 of human CK8 (NP_002264) produced in E.coli.

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:2500-5000, Immunohistochemistry 1:50, Immunocytochemistry/Immunofluorescence 1:50-1:100, Immunohistochemistry-Paraffin 1:50




Images

Western Blot: Cytokeratin 8 Antibody (OTI1B12) [NBP1-48281] - Analysis of extracts (35ug) from 9 different cell lines by using anti-Cytokeratin 8 monoclonal antibody.




Immunocytochemistry/Immunofluorescence: Cytokeratin 8 Antibody (OTI1B12) [NBP1-48281] - Staining of COS7 cells transiently transfected by pCMV6-ENTRY Cytokeratin 8.




Immunohistochemistry-Paraffin: Cytokeratin 8 Antibody (OTI1B12) [NBP1-48281] - Cytokeratin 8 antibody staining of mouse colon epithelium. IHC-P image submitted by a verified customer review.




Western Blot: Cytokeratin 8 Antibody (OTI1B12) [NBP1-48281] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY Cytokeratin 8 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-Cytokeratin 8.




Immunocytochemistry/Immunofluorescence: Cytokeratin 8 Antibody (OT11B12) [NBP1-48281] - Immunofluorescent staining of A549 cells using anti-Cytokeratin 8 mouse monoclonal antibody.




Immunocytochemistry/Immunofluorescence: Cytokeratin 8 Antibody (OT11B12) [NBP1-48281] - Immunofluorescent staining of HeLa cells using anti-Cytokeratin 8 mouse monoclonal antibody.




Immunohistochemistry-Paraffin: Cytokeratin 8 Antibody (OT11B12) [NBP1-48281] - Staining of paraffin-embedded Human Kidney tissue within the normal limits using anti-KRT8 mouse monoclonal antibody at 1:150 dilution.




Immunohistochemistry-Paraffin: Cytokeratin 8 Antibody (OT11B12) [NBP1-48281] - Staining of paraffin-embedded Human liver tissue within the normal limits using anti-KRT8 mouse monoclonal antibody at 1:150 dilution.




Immunohistochemistry-Paraffin: Cytokeratin 8 Antibody (OTI1B12) [NBP1-48281] - Staining of paraffin-embedded Adenocarcinoma of Human ovary tissue using anti-KRT8 mouse monoclonal antibody at 1:150 dilution.




Immunohistochemistry-Paraffin: Cytokeratin 8 Antibody (OTI1B12) [NBP1-48281] - Staining of paraffin-embedded Adenocarcinoma of Human endometrium tissue using anti-KRT8 mouse monoclonal antibody at 1:150 dilution.



Immunohistochemistry-Paraffin: Cytokeratin 8 Antibody (OTI1B12) [NBP1-48281] - Staining of paraffin-embedded Human prostate tissue within the normal limits using anti-KRT8 mouse monoclonal antibody at 1:150 dilution



Immunohistochemistry-Paraffin: Cytokeratin 8 Antibody (OTI1B12) [NBP1-48281] - Staining of paraffin-embedded Human bladder tissue within the normal limits using anti-KRT8 mouse monoclonal antibody at 1:150 dilution.



Cytokeratin 8 Antibody (OT11B12)[NBP1-48281] Simple Western analysis of endogenous protein NNMT from HELA lysates (0.5 mg/mL) using NNMT Mouse Monoclonal Antibody . The virtual lane view (left) shows the target (as indicated) at 1:50 dilution of primary antibody. The corresponding electropherogram view (right) plots chemiluminescence by molecular weight along the capillary at a 1:50 dilution of primary antibody. This experiment was performed under reducing conditions on the Jess Simple Western instrument from ProteinSimple, a Bio-Techne brand, using the 12-230 kDa Separation Module.



Publications

Hong Y, Shan S, Gu Y et al. Malfunction of airway basal stem cells plays a crucial role in pathophysiology of tracheobronchopathia osteoplastica Nature communications 2022-03-14 [PMID: 35288560] (ICC/IF)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-48281

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP2-27231	Mouse IgG2b Isotype Control (MPC-11)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-48281

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

