

Product Datasheet

DYDC1 Antibody NBP1-52002

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-52002

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-52002



NBP1-52002

DYDC1 Antibody


| Product Information | |
|---------------------|--|
| Unit Size | 0.1 mg |
| Concentration | 0.5 mg/ml |
| Storage | Store at -20C. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.02% Sodium Azide |
| Isotype | IgG |
| Purity | Immunogen affinity purified |
| Buffer | Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA |

| Product Description | |
|---------------------|---|
| Description | Novus Biologicals Goat DYDC1 Antibody (NBP1-52002) is a polyclonal antibody validated for use in WB and ELISA. Anti-DYDC1 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee. |
| Host | Goat |
| Gene ID | 143241 |
| Gene Symbol | DYDC1 |
| Species | Human, Mouse, Rat |
| Immunogen | Peptide with sequence C-TLAEISDRYGAPN corresponding to internal region according to NP_620167.1. |

| Product Application Details | |
|-----------------------------|--|
| Applications | Western Blot, Peptide ELISA |
| Recommended Dilutions | Western Blot 0.1 - 1 ug/ml, Peptide ELISA Detection limit 1:128000 |
| Application Notes | WB: n transfected HEK293 transiently expressing human DYDC1 (myc and DYKDDDDK tagged), a band of approx. 28 kDa is observed. No bands are observed in mock-transfected HEK293 and the same band is observed using anti-myc tag antibody. This 28 kDa band is also observed in human, mouse and rat testis lysates. |

Images

Western Blot: DYDC1 Antibody [NBP1-52002] Lane A - (1ug/ml) staining of HEK293 overexpressing Human DYDC1 lysate (10ug protein in RIPA buffer) Lane B - (0.1ug/ml) staining of HEK293 mock-transfected lysate (10ug protein in RIPA buffer). Lane C - (1/1000) staining HEK293 overexpressing Human DYDC1

**Publications**

Deloukas P, Earthrowl ME, Grafham DV et al. The DNA sequence and comparative analysis of human chromosome 10. Nature 2004-05-01 [PMID: 15164054]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA

Phone: 303.730.1950

Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada

Phone: 905.827.6400

Toll Free: 855.668.8722

Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15

Fax: (44) (0) 1235 533420

info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-52002

| | |
|-----------------|--|
| NBP2-33376H | Blue Marker Antibody (6F4-F6) [HRP] |
| HAF017 | Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)] |
| HAF109 | Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)] |
| NB410-28088-1mg | Goat IgG Isotype Control |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-52002

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



