

Product Datasheet

Niemann-Pick type C2 Antibody NBP1-52028

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-52028

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-52028



NBP1-52028

Niemann-Pick type C2 Antibody


Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA

Product Description	
Description	Novus Biologicals Goat Niemann-Pick type C2 Antibody (NBP1-52028) is a polyclonal antibody validated for use in WB and ELISA. Anti-Niemann-Pick type C2 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	10577
Gene Symbol	NPC2
Species	Human
Immunogen	Peptide with sequence QAEPVQFKDCGSVD corresponding to internal region according to NP_006423.1.

Product Application Details	
Applications	Western Blot, Peptide ELISA
Recommended Dilutions	Western Blot 0.3 - 1 ug/ml, Peptide ELISA Detection limit 1:2000
Application Notes	WB: Experiments gave bands at approx. 20 kDa band and 23 kDa band in human testis lysates. These bands correspond to earlier findings are reported in scientific literature with different antibodies (PMID: 16772431). This protein has a calculated MW of 16.6 kDa band according to NP_006423.1.

Images

Western Blot: Niemann-Pick type C2 Antibody [NBP1-52028] - Western blot analysis of Niemann-Pick type C2 in Human Testis lysate (35ug protein in RIPA buffer) using NBP1-52028 at 0.5ug/ml. Primary incubation was 1 hour. Detected by chemiluminescence.



Publications

Xu Z, Farver W, Kodukula S, Storch J. Regulation of sterol transport between membranes and NPC2. *Biochemistry* 2008-10-21 [PMID: 18823126]

Legare C, Thabet M, Gatti JL et al. HE1/NPC2 status in human reproductive tract and ejaculated spermatozoa: consequence of vasectomy. *Mol Hum Reprod* 2006-07-01 [PMID: 16772431]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-52028

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-52028

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



