

Product Datasheet

MEIS2 Antibody NBP1-52041

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-52041

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-52041



NBP1-52041

MEIS2 Antibody


Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA

Product Description	
Description	Novus Biologicals Goat MEIS2 Antibody (NBP1-52041) is a polyclonal antibody validated for use in WB and ELISA. Anti-MEIS2 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	4212
Gene Symbol	MEIS2
Species	Mouse, Rat
Specificity/Sensitivity	This antibody is expected to recognize isoforms a (NP_733777.1), c (NP_733775.1), and g (NP_758526.1) .
Immunogen	Peptide with sequence C-QSNRAGFLLDPSVSQ corresponding to internal region according to NP_733777.1, NP_733775.1, NP_758526.1.

Product Application Details	
Applications	Western Blot, Peptide ELISA
Recommended Dilutions	Western Blot 0.1 - 0.3 ug/ml, Peptide ELISA Detection limit 1:16000
Application Notes	WB: Approx. 50 kDa band bands observed in rat brain and rat thymus lysates, 48 kDa band in mouse brain and 40 kDa band in mouse thymus (calculated MW of 51.8 kDa band according to human NP_733775.1 and mouse NP_001153040.1, and of 43.7 kDa band according to mouse NP_001153039.1 and NP_001153041.1).

Images

Western Blot: MEIS2 Antibody [NBP1-52041] - Staining of Mouse Brain (lane A), Rat Brain (lane B), Mouse Thymus (lane C) and Rat Thymus (lane D) lysates (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



Publications

Mercader N, Leonardo E, Azpiazu N et al. Conserved regulation of proximodistal limb axis development by Meis1/Hth. Nature 1999-11-01 [PMID: 10586884]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-52041

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-52041

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



