

Product Datasheet

CCT8 Antibody - BSA Free

NBP1-56608

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-56608

Updated 2/21/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-56608



NBP1-56608

CCT8 Antibody - BSA Free

Product Information	
Unit Size	100 ul
Concentration	0.5 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS, 2% Sucrose

Product Description	
Description	The addition of 50% glycerol is optional for those storing this antibody at -20C and not aliquoting smaller units. However, please note that glycerol may interrupt some downstream antibody applications and should be added with caution.
Host	Rabbit
Gene ID	10694
Gene Symbol	CCT8
Species	Human, Mouse
Specificity/Sensitivity	This product is specific to Subunit or Isoform: theta.
Immunogen	Synthetic peptides corresponding to CCT8(chaperonin containing TCP1, subunit 8 (theta)) The peptide sequence was selected from the C terminal of CCT8. Peptide sequence DMLEAGILDTYLGKYWAIKLATNAAVTVLRVDQIIMAKPAGGPKPPSGKK. The peptide sequence for this immunogen was taken from within the described region.

Product Application Details	
Applications	Western Blot
Recommended Dilutions	Western Blot 1.0 ug/ml

Images


Western Blot: CCT8 Antibody [NBP1-56608] - Antibody Titration: 0.2-1 ug/ml Positive control: Jurkat cell lysate. CCT8 is strongly supported by BioGPS gene expression data to be expressed in Jurkat.



Western Blot: CCT8 Antibody [NBP1-56608] - Sample Type: HEK 293 (10ug) Primary Dilution: 1:1000 Secondary Antibody: conjugated goat anti-rabbit Secondary Dilution: 1:10,000 Image Submitted By: Amy Gray Brigham Young University



Western Blot: CCT8 Antibody [NBP1-56608] - C-terminal region validated by WB using HEK 293T at 1:1,000 dilution for antibody samples and 1:10,000 for secondary antibodies.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-56608

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
H00010694-P01-10ug	Recombinant Human CCT8 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-56608

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

