

Product Datasheet

TRAILR3/TNFRSF10C Antibody - BSA Free NBP1-76881

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-76881

Updated 3/4/2026 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-76881



NBP1-76881


TRAILR3/TNFRSF10C Antibody - BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Ion exchange chromatography
Buffer	PBS
Target Molecular Weight	65 kDa
Product Description	
Host	Rabbit
Gene ID	8794
Gene Symbol	TNFRSF10C
Species	Human, Mouse, Rat
Immunogen	Antibody was raised against a peptide corresponding to amino acids in a extracellular domain of human DcR1 precursor. The immunogen is located within amino acids 140 - 190 of DcR1. Amino Acid Squence: CVEEFGANATVETPAAEET
Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Western Blot 0.5 ug/ml, ELISA 1:100-1:2000, Immunocytochemistry/ Immunofluorescence 10-20 ug/ml
Application Notes	An approximate 65 kDa band can be detected in Western Blot. TRAILR3/TNFRSF10C antibody validated for WB from a verified customer review.




Images


Western Blot: TRAILR3/TNFRSF10C Antibody [NBP1-76881] - Analysis of 20 ug of whole cell lysate from HeLa (Lane 1) and 293 (Lane 2) cells with anti-TRAIL-R3 at 1 ug/ml dilution. Image submitted by a verified customer review.




Western Blot: TRAILR3/TNFRSF10C Antibody [NBP1-76881] - HeLa whole cell lysate with TRAIL-R3 antibody (ED) at 1:500 dilution.



Immunocytochemistry/ Immunofluorescence: TRAILR3/TNFRSF10C Antibody - BSA Free [NBP1-76881] - Immunofluorescence of TRAILR3/TNFRSF10C in Hela cells with TRAILR3/TNFRSF10C antibody at 20 ug/mL.



Immunocytochemistry/ Immunofluorescence: TRAILR3/TNFRSF10C Antibody - BSA Free [NBP1-76881] - Immunocytochemistry of TRAILR3/TNFRSF10C in HeLa cells with TRAILR3/TNFRSF10C antibody at 10 ug/mL.



Publications

Nagane M, Shimizu S, Mori E et al. Predominant antitumor effects by fully human anti-TRAIL-receptor 2 (DR5) monoclonal antibodies in human glioma cells in vitro and in vivo. *Neuro Oncol.* 2010-07-01 [PMID: 20511188] (WB, Human)

Details:

Products cited: 1. DcR2 (IMG-121-1): WB (human glioma cell lines), Fig 4B. 2. DcR1 (IMG-245-1): WB (human glioma cell lines), Fig 4B.

Kawakubo T, Okamoto K, Iwata J et al. Cathepsin E prevents tumor growth and metastasis by catalyzing the proteolytic release of soluble TRAIL from tumor cell surface. *Cancer Res.* 2007-11-15 [PMID: 18006832] (WB)

Details:

Products cited: 1. IMG-121 (DcR2): WB (human prostate carcinoma cell lines), Fig. 4B. 2. IMG-245 (DcR1): WB (human prostate carcinoma cell lines), Fig. 4B.

Taniguchi H, Yoshida T, Horinaka M et al. Baicalein overcomes tumor necrosis factor-related apoptosis-inducing ligand resistance via two different cell-specific pathways in cancer cells but not in normal cells. *Cancer Res.* 2008-11-01 [PMID: 18974136]

Details:

Products cited: 1. IMG-121 (DcR2): WB (human colon carcinoma SW480 cell line), Fig 3. 2. IMG-245 (DcR1): WB (human colon carcinoma SW480 cell line), Fig 3.

Jin F, Liu X, Zhou Z et al. Activation of nuclear factor-kappaB contributes to induction of death receptors and apoptosis by the synthetic retinoid CD437 in DU145 human prostate cancer cells. *Cancer Res.* 2005-07-15 [PMID: 16024638] (WB)

Details:

IMGENEX antibodies cited for WB: 1. Caspase-3 mAb, clone 31A1067 (IMG-144A): Fig 3C, DU145 prostate adenocarcinoma cells. 2. DcR1 pAb (IMG-245-1/IMG-245-2): Fig 6C, DcR1 overexpressing DU145 cells. Note: The specificity of the DcR1 pAb was validated in Dc





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-76881

NBP1-76881PEP	TRAILR3/TNFRSF10C Antibody Blocking Peptide
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-76881

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

