

Product Datasheet

cIAP-1/HiAP-2 Antibody [Janelia Fluor® 525] NBP1-77193JF525

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-77193JF525

Updated 8/20/2024 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-77193JF525



NBP1-77193JF525

cIAP-1/HiAP-2 Antibody [Janelia Fluor® 525]

| Product Information | |
|-----------------------------|--|
| Unit Size | 0.1 ml |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 4C in the dark. |
| Clonality | Polyclonal |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG |
| Conjugate | Janelia Fluor 525 |
| Purity | Peptide affinity purified |
| Buffer | 50mM Sodium Borate |
| Product Description | |
| Host | Rabbit |
| Gene ID | 329 |
| Gene Symbol | BIRC2 |
| Species | Human, Mouse, Rat |
| Specificity/Sensitivity | Human cIAP-1/HiAP-2 has 2 isoforms, including isoform 1 (618aa, 70kD) and isoform 2 (569aa, 64kD). Mouse cIAP-1/HiAP-2 has one isoform (612aa, 70kD) and Rat cIAP-1/HiAP-2 also has one isoform (589aa, 67kD). NBP1-77193 can detect human, mouse and rat. |
| Immunogen | Antibody was raised against a peptide corresponding to 14 amino acids near the carboxy terminus of human cIAP-1/HiAP-2. c-IAP antibody detects both c-IAP1 and c-IAP2. The immunogen is located within amino acids 540-590 of cIAP-1/HiAP-2. Amino Acid Sequence: SLEEQLRRLQEERT |
| Notes | Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. |
| Product Application Details | |
| Applications | Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry |
| Recommended Dilutions | Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin |
| Application Notes | Optimal dilution of this antibody should be experimentally determined. |



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-77193JF525

| | |
|-----------------|--|
| NBP2-24891JF525 | Rabbit IgG Isotype Control [Janelia Fluor 525] |
| NBP1-90133PEP | cIAP-1/HiAP-2 Recombinant Protein Antigen |
| 210-TA-005 | TNF-alpha [Unconjugated] |
| 818-IA-050 | cIAP-1/HiAP-2 |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-77193JF525

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

