

Product Datasheet

Trim22 Antibody - BSA Free

NBP1-81795

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 5

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-81795

Updated 2/11/2026 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-81795



NBP1-81795

Trim22 Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol


Product Description	
Description	Novus Biologicals Rabbit Trim22 Antibody - BSA Free (NBP1-81795) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-Trim22 Antibody: Cited in 5 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	10346
Gene Symbol	TRIM22
Species	Human
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: NEVVKECQEKLQVALQRLIKEDQEAEKLEDDIRQERTAWKNYIQIERQKILKGF NEMRVILDNEEQRELQKLEEGEVNVLNLAATDQLVQQRQDASTLISDLQRR LRGSSVEMLQDVIDVMKRSESWTLKKPKSVSKKLKSVFRV

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Knockdown Validated
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:500 - 1:1000, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:500-1:1000, Knockdown Validated
Application Notes	IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF, Fixation Permeabilization: Use PFA/Triton X-100.




Images


Western Blot: Trim22 Antibody [NBP1-81795] - Analysis in U-87MG ATCC cells transfected with control siRNA, target specific siRNA probe #1 and #2, using anti-TRIM22 antibody. Remaining relative intensity is presented. Loading control: anti-PPIB.




Immunocytochemistry/Immunofluorescence: Trim22 Antibody [NBP1-81795] - Staining of human cell line ASC TERT1 shows localization to nucleoplasm, nuclear bodies & the Golgi apparatus. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: Trim22 Antibody [NBP1-81795] - Staining of human placenta shows moderate cytoplasmic positivity in trophoblastic cells.




Immunohistochemistry-Paraffin: Trim22 Antibody [NBP1-81795] - Staining of human spleen shows strong nuclear and cytoplasmic positivity in cells in white and red pulp.




Immunohistochemistry-Paraffin: Trim22 Antibody [NBP1-81795] - Staining of human ovary shows strong nuclear positivity in ovarian stromal cells.



Immunohistochemistry-Paraffin: Trim22 Antibody [NBP1-81795] - Staining of human lymph node shows strong nuclear and cytoplasmic positivity in germinal center and non-germinal center cells.



Immunohistochemistry-Paraffin: Trim22 Antibody [NBP1-81795] - Staining of human small intestine shows strong nuclear and cytoplasmic positivity in glandular cells.



Publications

Zhang L, Zhang B, Wei M et al. TRIM22 inhibits endometrial cancer progression through the NOD2/NF kappa B signaling pathway and confers a favorable prognosis Int J Oncol 2020-03-04 [PMID: 32319602] (WB, IF/IHC, ICC/IF, IHC-P, Human)

Singh R, Patel V, Mureithi MW et al. TRIM5alpha and TRIM22 Are Differentially Regulated According to HIV-1 Infection Phase and Compartment. J Virol 2014-04-01 [PMID: 24478420] (WB, Human)

Carotenuto M, Pedone E, Diana D et al. Neuroblastoma tumorigenesis is regulated through the Nm23-H1/h-Prune C-terminal interaction. Sci Rep 2013-01-01 [PMID: 23448979]

Singh R, Gaiha G, Werner L et al. Association of TRIM22 with the type 1 interferon response and viral control during primary HIV-1 infection. J Virol 2011-01-01 [PMID: 20980524]

Petersson J, Lonnbro P, Herr AM et al. The human IFN-inducible p53 target gene TRIM22 colocalizes with the centrosome independently of cell cycle phase. Exp Cell Res 2010-02-01 [PMID: 20006605]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-81795

NBP1-81795PEP	Trim22 Recombinant Protein Antigen
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-81795

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

