

Product Datasheet

Fibrillin 1 Antibody - BSA Free NBP1-84722

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-84722

Updated 12/2/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-84722



NBP1-84722

Fibrillin 1 Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol


Product Description	
Description	Novus Biologicals Rabbit Fibrillin 1 Antibody - BSA Free (NBP1-84722) is a polyclonal antibody validated for use in IHC and ICC/IF. Anti-Fibrillin 1 Antibody: Cited in 4 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	2200
Gene Symbol	FBN1
Species	Human
Reactivity Notes	Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (89%), Rat (89%).
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: DVRPGYCYTALTNGRCSNQLPQSITKMQCCCDAGRCWSPGVTVAPEMCPIRA TEDFNKLCVPMVIPGRPEYPPPLGPIPPVLPVPPGFPPGPQIPVPRPPVEYL YPSREPPRVLPVNVTDYQCQLVRYLCQNGRCIPTPGSCRCEC

Product Application Details	
Applications	Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Immunohistochemistry 1:500 - 1:1000, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:500 - 1:1000
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.




Images


Immunocytochemistry/Immunofluorescence: Fibrillin 1 Antibody [NBP1-84722] - Staining of human cell line U-251 MG shows localization to cytosol. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: Fibrillin 1 Antibody [NBP1-84722] - Staining of human cerebral cortex shows no positivity in neurons as expected.




Immunohistochemistry-Paraffin: Fibrillin 1 Antibody [NBP1-84722] - Staining of human cervix shows moderate membranous positivity.




Immunohistochemistry-Paraffin: Fibrillin 1 Antibody [NBP1-84722] - Staining of human fallopian tube shows moderate membranous positivity.




Immunohistochemistry-Paraffin: Fibrillin 1 Antibody [NBP1-84722] - Staining of human skin shows moderate membranous positivity.



Immunohistochemistry-Paraffin: Fibrillin 1 Antibody [NBP1-84722] - Staining of human testis shows moderate membranous positivity.



Analysis in human cervix, uterine and cerebral cortex tissues using HPA021057 antibody. Corresponding FBN1 RNA-seq data are presented for the same tissues.



Publications

Yunlu Zhu, Yun Bai, Wannian Yan, Ming Li, Fei Wu, Mingyuan Xu, Nanhui Wu, HongSong Ge, Yeqiang Liu A mutation in CCDC91, Homo sapiens coiled-coil domain containing 91 protein, cause autosomal-dominant acrokeratoelastoidosis European Journal of Human Genetics 2024-04-16 [PMID: 38627542]

Baldwin AK, Cain SA, Lennon R et al. Epithelial-mesenchymal status influences how cells deposit fibrillin microfibrils. J Cell Sci 2014-01-01 [PMID: 24190885]

Zhang W, Ota T, Shridhar V et al. Network-based Survival Analysis Reveals Subnetwork Signatures for Predicting Outcomes of Ovarian Cancer Treatment. PLoS Comput Biol 2013-01-01 [PMID: 2355212]

Edlund K, Lindskog C, Saito A et al. CD99 is a novel prognostic stromal marker in non-small cell lung cancer. Int J Cancer 2012-11-15 [PMID: 22392539]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-84722

NBP1-84722PEP	Fibrillin 1 Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-84722

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

