

# Product Datasheet

## TUFM Antibody - BSA Free

### NBP1-84889

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

#### Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-84889](http://www.novusbio.com/NBP1-84889)

Updated 12/2/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-84889](http://www.novusbio.com/reviews/destination/NBP1-84889)



**NBP1-84889**

TUFM Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Target Molecular Weight	50 kDa


Product Description	
Description	Novus Biologicals Rabbit TUFM Antibody - BSA Free (NBP1-84889) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-TUFM Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	7284
Gene Symbol	TUFM
Species	Human
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: AVDTYIPVPARDLEKPFLLPVEAVYSVPGRGTVVTGTLERGIKKGDECELLGH SKNIRTVVTGIEMFHKSLERAEGDNLGALVRGLKREDLRRGLVMVKPGSI

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.




## Images


Western Blot: TUFM Antibody [NBP1-84889] - Analysis using Anti-TUFM antibody NBP1-84889 (A) shows similar pattern to independent antibody NBP1-84890 (B).




Immunocytochemistry/Immunofluorescence: TUFM Antibody [NBP1-84889] - Staining of human cell line U-2 OS shows localization to mitochondria. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: TUFM Antibody [NBP1-84889] - Staining of human duodenum, endometrium, kidney and testis using Anti-TUFM antibody NBP1-84889 (A) shows similar protein distribution across tissues to independent antibody NBP1-84890 (B).




Immunohistochemistry-Paraffin: TUFM Antibody [NBP1-84889] - Staining of human endometrium shows moderate granular cytoplasmic positivity in glandular cells.




Immunohistochemistry-Paraffin: TUFM Antibody [NBP1-84889] - Staining of human kidney shows moderate to strong granular cytoplasmic positivity in cells in tubules.



Immunohistochemistry-Paraffin: TUFM Antibody [NBP1-84889] - Staining of human duodenum shows strong granular cytoplasmic positivity in glandular cells.



Immunohistochemistry-Paraffin: TUFM Antibody [NBP1-84889] - Staining of human testis shows moderate to strong granular cytoplasmic positivity in cells in seminiferous ducts.



## Publications

Gibellini L, Pinti M, Boraldi F et al. Silencing of mitochondrial Lon protease deeply impairs mitochondrial proteome and function in colon cancer cells. *FASEB J.* 2014-08-25 [PMID: 25154874]

Lundberg E, Fagerberg L, Klevebring D et al. Defining the transcriptome and proteome in three functionally different human cell lines. *Mol Syst Biol.* 2010-12-01 [PMID: 21179022]



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP1-84889**

---

NBP1-84889PEP	TUFM Recombinant Protein Antigen
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-84889](http://www.novusbio.com/reviews/submit/NBP1-84889)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

