

# Product Datasheet

## Tight Junction Protein 1 Antibody - BSA Free NBP1-85046

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

**Reviews: 2 Publications: 15**

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-85046](http://www.novusbio.com/NBP1-85046)

Updated 3/4/2026 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-85046](http://www.novusbio.com/reviews/destination/NBP1-85046)



**NBP1-85046**


Tight Junction Protein 1 Antibody - BSA Free

<b>Product Information</b>	
<b>Unit Size</b>	0.1 ml
<b>Concentration</b>	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
<b>Storage</b>	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
<b>Clonality</b>	Polyclonal
<b>Preservative</b>	0.02% Sodium Azide
<b>Isotype</b>	IgG
<b>Purity</b>	Affinity purified
<b>Buffer</b>	PBS (pH 7.2) and 40% Glycerol
<b>Product Description</b>	
<b>Host</b>	Rabbit
<b>Gene ID</b>	7082
<b>Gene Symbol</b>	TJP1
<b>Species</b>	Human, Mouse, Rat
<b>Reactivity Notes</b>	Rat reactivity reported in scientific literature (PMID: 31174067). Analysis of Tight Junction Protein 1 in RIPA whole cell lysates of Mouse primary choroid plexus epithelial cells using anti-Tight Junction Protein 1 antibody. Image from verified customer review.
<b>Marker</b>	Intercellular Junctions/Tight Junction Marker
<b>Immunogen</b>	This antibody was developed against Recombinant Protein corresponding to amino acids: ASSQPAKPTKVTLVKSRKNEEYGLRLASHIFVKEISQDSLAAARDGNIQEGDVVL KINGTVTENMSLTDAKTLIERSKGLKMMVVQRDERATLLNVPDLSDSIHSANAS ERDDISEIQSLASDHSGR
<b>Product Application Details</b>	
<b>Applications</b>	Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen
<b>Recommended Dilutions</b>	Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25 - 2 ug/mL, Immunohistochemistry-Paraffin 1:50 - 1:200, Immunohistochemistry-Frozen validated from a verified customer review.
<b>Application Notes</b>	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.



## Images


Immunohistochemistry-Paraffin: Tight Junction Protein 1 Antibody [NBP1-85046] - Staining in human cerebral cortex and skeletal muscle tissues using anti-TJP1 antibody. Corresponding TJP1 RNA-seq data are presented for the same tissues.



Western Blot: Tight Junction Protein 1 Antibody [NBP1-85046] - Analysis of Tight Junction Protein 1 in RIPA whole cell lysates of mouse primary choroid plexus epithelial cells using anti-Tight Junction Protein 1 antibody. Image from verified customer review.




Immunocytochemistry/Immunofluorescence: Tight Junction Protein 1 Antibody [NBP1-85046] - Staining of human cell line U-2 OS shows localization to cytosol & cell junctions. Antibody staining is shown in green.



Immunohistochemistry-Paraffin: Tight Junction Protein 1 Antibody [NBP1-85046] - Staining of human cerebral cortex shows high expression.



Immunohistochemistry-Paraffin: Tight Junction Protein 1 Antibody [NBP1-85046] - Staining of human skeletal muscle shows low expression as expected.



Western Blot: Tight Junction Protein 1 Antibody [NBP1-85046] - Expression of tight junction proteins in cerebellum of rats with mild liver damage. Expression of (A,B) occludin & (C,D) ZO-1 at 2 & 4 weeks was analyzed by Western blot. Values are mean  $\pm$  SEM of 10–12 rats per group. One-way ANOVA with Tukey's test was performed for occludin at 2 weeks ( $F(3,27) = 4.99$ ,  $p < 0.01$ ) & 4 weeks ( $F(3,47) = 0.611$ ,  $p > 0.05$ ) & for ZO-1 at 2 weeks ( $W(3,23) = 0.715$ ,  $p > 0.05$ ) & 4 weeks ( $F(3,43) = 3.698$ ,  $p < 0.05$ ). Values significantly different from control rats are indicated by asterisks & from CCl4 rats by a. \*  $p < 0.05$ ; a  $p < 0.05$ . Image collected & cropped by CiteAb from the following publication (<https://pubmed.ncbi.nlm.nih.gov/34440206>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



Western Blot: Tight Junction Protein 1 Antibody [NBP1-85046] - Expression of tight junction proteins in cerebellum of rats with mild liver damage. Expression of (A,B) occludin & (C,D) ZO-1 at 2 & 4 weeks was analyzed by Western blot. Values are mean  $\pm$  SEM of 10–12 rats per group. One-way ANOVA with Tukey's test was performed for occludin at 2 weeks ( $F(3,27) = 4.99$ ,  $p < 0.01$ ) & 4 weeks ( $F(3,47) = 0.611$ ,  $p > 0.05$ ) & for ZO-1 at 2 weeks ( $W(3,23) = 0.715$ ,  $p > 0.05$ ) & 4 weeks ( $F(3,43) = 3.698$ ,  $p < 0.05$ ). Values significantly different from control rats are indicated by asterisks & from CCl4 rats by a. \*  $p < 0.05$ ; a  $p < 0.05$ . Image collected & cropped by CiteAb from the following publication (<https://pubmed.ncbi.nlm.nih.gov/34440206>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



## Publications

Shastri S, Shinde T, Woolley KL et al. Short-Chain Naphthoquinone Protects Against Both Acute and Spontaneous Chronic Murine Colitis by Alleviating Inflammatory Responses *Frontiers in Pharmacology* 2021-08-23 [PMID: 34497514]

Han B, Lv X, Liu G et al. Gut microbiota-related bile acid metabolism-FXR/TGR5 axis impacts the response to anti- $\alpha$ 4 $\beta$ 7-integrin therapy in humanized mice with colitis *Gut microbes* 2023-07-11 [PMID: 37431863] (WB)

Mona K, Marnick C, Sumin C et al. Anatomical barriers against SARS-CoV-2 neuroinvasion at vulnerable interfaces visualized in deceased COVID-19 patients *Neuron* 2022-11-01 [PMID: 36446381] (IF/IHC, Human)

Leusu S, Pariyani R, Mäkinen E et al. Prebiotic Xylo-oligosaccharides Targeting *Faecalibacterium prausnitzii* Prevent High Fat Diet-induced Hepatic Steatosis in Rats *Nutrients* 2020-10-27 [PMID: 33105554]

Balzano T, Leone P, Ivaylova G Et al. Rifaximin Prevents T-Lymphocytes and Macrophages Infiltration in Cerebellum and Restores Motor Incoordination in Rats with Mild Liver Damage *Biomedicines* 2021-08-12 [PMID: 34440206] (WB, Rat)

Patterson L, Allen J, Posey I et al. Glucosylceramide production maintains colon integrity in response to *Bacteroides fragilis* toxin-induced colon epithelial cell signaling *FASEB J* 2020-10-13 [PMID: 33047400]

Ko SF, Chen KH, Wallace CG et al. Protective effect of combined therapy with hyperbaric oxygen and autologous adipose-derived mesenchymal stem cells on renal function in rodent after acute ischemia-reperfusion injury *Am J Transl Res* 2020-07-15 [PMID: 32774699] (IF/IHC, Mouse)

Shi Y, Li R, Yang J et al. No tight junctions in tight junction protein-1 expressing HeLa and fibroblast cells *Int J Physiol Pathophysiol Pharmacol* 2020-05-19 [PMID: 32067099] (IF/IHC, Mouse)

Sheu JJ, Sung PH, Wallace CG et al. Intravenous administration of iPS-MSCSPIONs mobilized into CKD parenchyma and effectively preserved residual renal function in CKD rat *J. Cell. Mol. Med.* 2020-02-15 [PMID: 32061051] (IF/IHC, Rat)

Shastri S, Shinde T, Sohal SS et al. Idebenone Protects against Acute Murine Colitis via Antioxidant and Anti-Inflammatory Mechanisms *Int J Mol Sci* 2020-01-12 [PMID: 31940911] (IF/IHC, Mouse)

Evran S, Calis F, Akkaya E et al. The effect of high mobility group box-1 protein on cerebral edema, blood-brain barrier, oxidative stress and apoptosis in an experimental traumatic brain injury model *Brain Res. Bull.* 2019-11-09 [PMID: 31715313] (IF/IHC, Rat)

Yip HK, Chen KH, Dubey NK, Sun CK et al. Cerebro- and renoprotective activities through platelet-derived biomaterials against cerebrorenal syndrome in rat model *Biomaterials* 2019-05-28 [PMID: 31174067] (IHC-P, Rat)

More publications at <http://www.novusbio.com/NBP1-85046>





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP1-85046**

---

NB820-60575	Human Brain Cerebral Meninges Membrane Tissue Lysate (Adult Membrane Normal)
NBP1-85046PEP	Tight Junction Protein 1 Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-85046](http://www.novusbio.com/reviews/submit/NBP1-85046)

Earn gift cards/discounts by submitting a publication using this product:

[www.novusbio.com/publications](http://www.novusbio.com/publications)



