

Product Datasheet

CD14 Antibody - BSA Free NBP1-86168

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-86168

Updated 12/2/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-86168



NBP1-86168

CD14 Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol


Product Description	
Description	Novus Biologicals Rabbit CD14 Antibody - BSA Free (NBP1-86168) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-CD14 Antibody: Cited in 4 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	929
Gene Symbol	CD14
Species	Human
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: PCELDDEDFRCVCFNFSEPPQDWSEAFQCVSAVEVEIHAGGLNLEPFLKRVDAD ADPRQYADTVKALRVRRLTVGAAQVPAQLLVGALRVLAYSRLKELTLEDLKITG TMPPLPLEATGLALSSL

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200-1:500
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.




Images


Immunocytochemistry/Immunofluorescence: CD14 Antibody [NBP1-86168] - Staining of human cell line SiHa shows localization to vesicles. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: CD14 Antibody [NBP1-86168] - Analysis in human lymph node and pancreas tissues. Corresponding CD14 RNA-seq data are presented for the same tissues.




Immunohistochemistry-Paraffin: CD14 Antibody [NBP1-86168] - Staining of human liver, lymph node, pancreas and rectum using Anti-CD14 antibody NBP1-86168 (A) shows similar protein distribution across tissues to independent antibody NBP1-86166 (B).




Immunohistochemistry-Paraffin: CD14 Antibody [NBP1-86168] - Staining of human tonsil shows moderate membranous positivity in germinal center cells.




Immunohistochemistry-Paraffin: CD14 Antibody [NBP1-86168] - Staining of human rectum shows moderate to strong cytoplasmic positivity in lymphoid cells.




Immunohistochemistry-Paraffin: CD14 Antibody [NBP1-86168] - Staining of human pancreas shows no cytoplasmic positivity in exocrine glandular cells as expected.




Immunohistochemistry-Paraffin: CD14 Antibody [NBP1-86168] - Staining of human lymph node shows moderate to strong membranous positivity in lymphoid cells.



Immunohistochemistry-Paraffin: CD14 Antibody [NBP1-86168] - Staining of human liver shows moderate to strong membranous positivity in hepatic sinusoid cells.



Analysis using Anti-CD14 antibody NBP1-86168 (A) shows similar pattern to independent antibody NBP1-86166 (B).



Publications

Hingorani P, Maas ML, Gustafson MP et al. Increased CTLA-4(+) T cells and an increased ratio of monocytes with loss of class II (CD14(+)?HLA-DR(lo/neg)) found in aggressive pediatric sarcoma patients. *J Immunother Cancer* 2015-01-01 [PMID: 26286851] (IF/IHC, Human)

Tarassishin L, Suh HS, Lee SC et al. LPS and IL-1 differentially activate mouse and human astrocytes: role of CD14. *Glia* 2014-06-01 [PMID: 24659539] (WB, Human)

Fruhwurth S, Pavelka M, Bittman R et al. High-density lipoprotein endocytosis in endothelial cells. *World J Biol Chem* 2013-11-26 [PMID: 24340136]

Zimmermann HW, Seidler S, Nattermann J et al. Functional Contribution of Elevated Circulating and Hepatic Non-Classical CD14+CD16+ Monocytes to Inflammation and Human Liver Fibrosis. *PLoS One* 2010-06-10 [PMID: 20548789]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-86168

NBP1-86168PEP	CD14 Recombinant Protein Antigen
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-86168

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

