

# Product Datasheet

## PYGL Antibody - BSA Free

### NBP1-86182

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

#### Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-86182](http://www.novusbio.com/NBP1-86182)

Updated 12/2/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-86182](http://www.novusbio.com/reviews/destination/NBP1-86182)



**NBP1-86182**

PYGL Antibody - BSA Free

Product Information	
<b>Unit Size</b>	0.1 ml
<b>Concentration</b>	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
<b>Storage</b>	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
<b>Clonality</b>	Polyclonal
<b>Preservative</b>	0.02% Sodium Azide
<b>Isotype</b>	IgG
<b>Purity</b>	Affinity purified
<b>Buffer</b>	PBS (pH 7.2) and 40% Glycerol


Product Description	
<b>Description</b>	Novus Biologicals Rabbit PYGL Antibody - BSA Free (NBP1-86182) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-PYGL Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
<b>Host</b>	Rabbit
<b>Gene ID</b>	5836
<b>Gene Symbol</b>	PYGL
<b>Species</b>	Human
<b>Immunogen</b>	This antibody was developed against Recombinant Protein corresponding to amino acids: MRIDDVAALDKKGYEAKEYYEALPELKLVIDQIDNGFFSPKQPDLFKDIINMLFY HDRFKVFADYEAYVKCQDKVSQLYMNPKAWNTMVLKNIAASGKFSSDRTIKEY AQNIWNVEPSD

Product Application Details	
<b>Applications</b>	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
<b>Recommended Dilutions</b>	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:500 - 1:1000, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:500 - 1:1000
<b>Application Notes</b>	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.




## Images


Immunocytochemistry/Immunofluorescence: PYGL Antibody [NBP1-86182] - Staining of human cell line U-251 MG shows localization to nucleoplasm, plasma membrane & cytosol. Antibody staining is shown in green.




Analysis in human cell lines PC-3 and SK-MEL-30 using Anti-PYGL antibody. Corresponding PYGL RNA-seq data are presented for the same cell lines. Loading control: Anti-HSP90B1.




Immunohistochemistry-Paraffin: PYGL Antibody [NBP1-86182] - Staining of human bone marrow, cerebral cortex, liver and testis using Anti-PYGL antibody (A) NBP1-86182 shows similar protein distribution across tissues to independent antibody NBP1-86147 (B).




Immunohistochemistry-Paraffin: PYGL Antibody [NBP1-86182] - Analysis in human liver and pancreas tissues. Corresponding PYGL RNA-seq data are presented for the same tissues.




Immunohistochemistry-Paraffin: PYGL Antibody [NBP1-86182] - Staining of human bone marrow shows strong cytoplasmic positivity in hematopoietic cells.




Immunohistochemistry-Paraffin: PYGL Antibody [NBP1-86182] - Staining of human cerebral cortex shows no positivity in neurons.




Immunohistochemistry-Paraffin: PYGL Antibody [NBP1-86182] - Staining of human liver shows strong cytoplasmic positivity in hepatocytes.



Immunohistochemistry-Paraffin: PYGL Antibody [NBP1-86182] - Staining of human pancreas shows no positivity in exocrine glandular cells.



Immunohistochemistry-Paraffin: PYGL Antibody [NBP1-86182] - Staining of human testis shows no positivity in cells in seminiferous ducts.



## Publications

Shu Y, Zou C, Cai Y et al. Vitamin C deficiency induces hypoglycemia and cognitive disorder through S-nitrosylation-mediated activation of glycogen synthase kinase 3 beta Redox biology 2022-08-08 [PMID: 35969998] (WB)

Details:

Dilutions: 1:1000

Nogales-Gadea G, Mormeneo E, Garcia-Consuegra I et al. Expression of glycogen phosphorylase isoforms in cultured muscle from patients with McArdle's disease carrying the p.R771PfsX33 PYGM mutation. PLoS One 2010-10-01 [PMID: 20957198]



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP1-86182**

---

NBP1-86182PEP	PYGL Recombinant Protein Antigen
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-86182](http://www.novusbio.com/reviews/submit/NBP1-86182)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

