

Product Datasheet

PICALM Antibody - BSA Free NBP1-86658

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 7

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-86658

Updated 3/4/2026 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-86658



NBP1-86658

PICALM Antibody - BSA Free


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description	
Host	Rabbit
Gene ID	8301
Gene Symbol	PICALM
Species	Human, Mouse, Rat
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: DIPDLSQAPSSLLDALEQHLASLEGKKIKDSTAASRATTLSSNAVSSLASTGLSLT KVDEREKQAALIEEEQARLKALKEQRL


Product Application Details	
Applications	Western Blot, Simple Western, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Simple Western 1:20 - 1:250, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50-1:200
Application Notes	For IHC-Paraffin HIER pH6 retrieval is recommended

Images


Immunohistochemistry-Paraffin: PICALM Antibody [NBP1-86658] - Staining in human placenta and skeletal muscle tissues using NBP1-86658 antibody. Corresponding PICALM RNA-seq data are presented for the same tissues.




Immunohistochemistry-Paraffin: PICALM Antibody [NBP1-86658] - Staining of human cerebellum, duodenum, placenta and skeletal muscle using Anti-PICALM antibody NBP1-86658 (A) shows similar protein distribution across tissues to independent antibody NBP1-86659 (B).




Immunohistochemistry-Paraffin: PICALM Antibody [NBP1-86658] - Staining of human cerebellum shows moderate cytoplasmic positivity in Purkinje cells.




Immunohistochemistry-Paraffin: PICALM Antibody [NBP1-86658] - Staining of human duodenum shows strong membranous and cytoplasmic positivity in glandular cells.




Immunohistochemistry-Paraffin: PICALM Antibody [NBP1-86658] - Staining of human placenta shows strong membranous and cytoplasmic positivity in trophoblastic cells.




Immunohistochemistry-Paraffin: PICALM Antibody [NBP1-86658] - Staining of human skeletal muscle shows no positivity in myocytes as expected.



Analysis in mouse cell line NIH-3T3 and rat cell line NBT-II.



Analysis in human cell lines Caco-2 and PC-3 using Anti-PICALM antibody. Corresponding PICALM RNA-seq data are presented for the same cell lines. Loading control: Anti-HSP90B1.



Publications

Zhang Z, Yu K, You Y et al. Comprehensive characterization of human brain-derived extracellular vesicles using multiple isolation methods: Implications for diagnostic and therapeutic applications *Journal of Extracellular Vesicles* 2023-08-10 [PMID: 37563857] (Western Blot, Human)

Azarnia Tehran D, Kochlamazashvili G, Pampaloni NP et al. Selective endocytosis of Ca²⁺-permeable AMPARs by the Alzheimer's disease risk factor CALM bidirectionally controls synaptic plasticity *Science advances* 2022-05-27 [PMID: 35613266]

Thomas RS, Henson A, Gerrish A et al. Decreasing the expression of PICALM reduces endocytosis and the activity of beta-secretase: implications for Alzheimer's disease. *BMC Neurosci* 2016-07-18 [PMID: 27430330] (WB)

Tsai-Teng T, Chin-Chu C, Li-Ya L et al. Erinacine A-enriched *Hericium erinaceus* mycelium ameliorates Alzheimer's disease-related pathologies in APP^{swe}/PS1^{dE9} transgenic mice *J. Biomed. Sci.* 2016-06-28 [PMID: 27350344] (WB, Human)

Mercer JL, Argus JP, Crabtree DM et al. Modulation of PICALM Levels Perturbs Cellular Cholesterol Homeostasis. *PLoS One* 2015-01-01 [PMID: 26075887] (WB, Human)

Zhen Zhao, Abhay P Sagare, Qingyi Ma et al. Central role for PICALM in amyloid-beta blood-brain barrier transcytosis and clearance. *Nature Neuroscience* 2015-05-25 [PMID: 26005850] (WB, IF/IHC, Mouse)

Armstrong A, Mattsson N, Appelqvist H et al. Lysosomal Network Proteins as Potential Novel CSF Biomarkers for Alzheimer's Disease. *Neuromolecular Med.* 2013-10-08 [PMID: 24101586] (WB, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-86658

NBP1-86658PEP	PICALM Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-86658

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

