

Product Datasheet

Nesfatin-1/Nucleobindin-2 Antibody - BSA Free NBP1-87383

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-87383

Updated 12/2/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-87383



NBP1-87383**Nesfatin-1/Nucleobindin-2 Antibody - BSA Free**


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description	
Description	Novus Biologicals Rabbit Nesfatin-1/Nucleobindin-2 Antibody - BSA Free (NBP1-87383) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-Nesfatin-1/Nucleobindin-2 Antibody: Cited in 4 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	4925
Gene Symbol	NUCB2
Species	Human, Mouse
Reactivity Notes	Mouse reactivity reported in scientific literature (PMID: 31670281). Rat (86%).
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: MSEVDTNKDRLVTL EEFLKATEKKEFLEPDSWETLDQQQFFTEEELKEYENIIAL QENELKKKADELQKQKEELQRQHDQLEAQKLEYHQVIQQMEQKKLQQGIPPS GPAGELKFEPR


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Knockdown Validated
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:1000 - 1:2500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:1000 - 1:2500, Knockdown Validated
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.

Images


Western Blot: Nesfatin-1/Nucleobindin-2 Antibody [NBP1-87383] - Analysis in U-87MG ATCC cells transfected with control siRNA, target specific siRNA probe #1 and #2,. Remaining relative intensity is presented. Loading control: Anti-GAPDH.




Immunocytochemistry/Immunofluorescence: Nesfatin-1/Nucleobindin-2 Antibody [NBP1-87383] - Staining of human cell line U-2 OS shows localization to the Golgi apparatus. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: Nesfatin-1/Nucleobindin-2 Antibody [NBP1-87383] - Staining of human stomach shows strong cytoplasmic positivity in glandular cells.




Western Blot: Nesfatin-1/Nucleobindin-2 Antibody [NBP1-87383] - Analysis in human cell line HL-60.




Immunohistochemistry-Paraffin: Nesfatin-1/Nucleobindin-2 Antibody [NBP1-87383] -Staining of human placenta shows strong cytoplasmic positivity in trophoblastic cells.



Immunohistochemistry-Paraffin: Nesfatin-1/Nucleobindin-2 Antibody [NBP1-87383] -Staining of human testis shows moderate cytoplasmic positivity in cells in seminiferous ducts.



Immunohistochemistry-Paraffin: Nesfatin-1/Nucleobindin-2 Antibody [NBP1-87383] -Staining of human cerebral cortex shows moderate cytoplasmic positivity in neurons.



Publications

Hui J, Aulakh G, Unniappan S, Singh B Localization of Nucleobindin2/Nesfatin-1-Like Immunoreactivity in Human Lungs and Neutrophils *Annals of Anatomy - Anatomischer Anzeiger* 2021-05-01 [PMID: 34082080] (Human)

Markowska A, Szarszewska M et al. The role of nesfatin and selected molecular factors in various types of endometrial cancer. *Ginekol Pol* 2019-07-11 [PMID: 31686413] (IF/IHC, Human)

Kaya O, Yilmaz ME, Bayram S et al. Effects of cannabinoid modulation on hypothalamic nesfatin-1 and insulin resistance *Chin J Physiol* 2019-11-01 [PMID: 31670281] (IF/IHC, Mouse)

Stadler C, Hjelmare M, Neumann B et al. Systematic validation of antibody binding and protein subcellular localization using siRNA and confocal microscopy. *J Proteomics* 2012-04-03 [PMID: 22361696]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-87383

NBP1-87383PEP	Nesfatin-1/Nucleobindin-2 Recombinant Protein Antigen
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-87383

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

