

# Product Datasheet

## beta 2-Microglobulin Antibody - BSA Free NBP1-87482

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

### Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-87482](http://www.novusbio.com/NBP1-87482)

Updated 12/2/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-87482](http://www.novusbio.com/reviews/destination/NBP1-87482)



**NBP1-87482**

beta 2-Microglobulin Antibody - BSA Free


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description	
Description	Novus Biologicals Rabbit beta 2-Microglobulin Antibody - BSA Free (NBP1-87482) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-beta 2-Microglobulin Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	567
Gene Symbol	B2M
Species	Human
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: QRTPKIQVYSRHPAENGKSNFLNCYVSGFHPSDIEVDLLKNGERIEKVEHSDLS FSKDWSFYLLYYTEFTPTEKDEYACRVNHVTL SQPKIVKWDRDM


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:1000 - 1:2500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:1000 - 1:2500
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.

**Images**


Immunohistochemistry-Paraffin: beta 2-Microglobulin Antibody [NBP1-87482] - Staining in human lymph node and skeletal muscle tissues using anti-B2M antibody. Corresponding B2M RNA-seq data are presented for the same tissues.




Western Blot: beta 2-Microglobulin Antibody [NBP1-87482] - Analysis in human cell lines HeLa and HEK293. Corresponding RNA-seq data are presented for the same cell lines. Loading control: Anti-HSP90B1.




Immunocytochemistry/Immunofluorescence: beta 2-Microglobulin Antibody [NBP1-87482] - Staining of human cell line U-251 MG shows localization to plasma membrane, cytosol and the Golgi apparatus. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: beta 2-Microglobulin Antibody [NBP1-87482] - Staining of human lymph node shows strong cytoplasmic positivity in germinal center cells.




Immunohistochemistry-Paraffin: beta 2-Microglobulin Antibody [NBP1-87482] - Staining of human skeletal muscle shows low expression as expected.



Immunohistochemistry-Paraffin: beta 2-Microglobulin Antibody [NBP1-87482] - Staining of human cerebral cortex shows weak cytoplasmic positivity in neurons as expected.



Immunohistochemistry-Paraffin: beta 2-Microglobulin Antibody [NBP1-87482] - Staining of human kidney shows moderate cytoplasmic positivity in cells in glomeruli.



## Publications

Kim DJ, Hahn HM, Youn YN et al. Adipose Derived Stromal Vascular Fraction and Mesenchymal Stem Cells Improve Angiogenesis in a Rat Hindlimb Ischaemia Model *European journal of vascular and endovascular surgery : the official journal of the European Society for Vascular Surgery* 2023-11-21 [PMID: 37995961] (Immunohistochemistry-Paraffin, Rat)

Lindskog C, Asplund A, Engkvist M et al. Antibody-based proteomics for discovery and exploration of proteins expressed in pancreatic islets. *Discov Med* 2010-06-01 [PMID: 20587347]



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP1-87482**

---

NBP1-87482PEP	beta 2-Microglobulin Recombinant Protein Antigen
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-87482](http://www.novusbio.com/reviews/submit/NBP1-87482)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

