

Product Datasheet

Aconitase 1 Antibody - BSA Free NBP1-87677

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 2 Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-87677

Updated 12/2/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-87677



NBP1-87677

Aconitase 1 Antibody - BSA Free


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description	
Description	Novus Biologicals Rabbit Aconitase 1 Antibody - BSA Free (NBP1-87677) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-Aconitase 1 Antibody: Cited in 3 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	48
Gene Symbol	ACO1
Species	Human, Mouse, Rat
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: YERIHRSNLVGMGVIPLEYLPGENADALGLTGQERYTIIIPENLKPQMKVQVKLD TGKTFQAVMRFDTDVELTYFLNGGILNYMIRKMAK


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 0.04 - 0.4 ug/mL, Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 0.25 - 2 ug/mL, Immunohistochemistry-Paraffin 1:50 - 1:200
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization, Use PFA/Triton X-100.

Images


Immunohistochemistry-Paraffin: Aconitase 1 Antibody [NBP1-87677] - Analysis in human kidney and skeletal muscle tissues using NBP1-87677 antibody. Corresponding ACO1 RNA-seq data are presented for the same tissues.




Western Blot: Aconitase 1 Antibody [NBP1-87677] - Analysis in human cell lines U2OS and SK-MEL-30. Corresponding RNA-seq data are presented for the same cell lines. Loading control: Anti-PPIIB.




Western Blot: Aconitase 1 Antibody [NBP1-87677] - Effect of HFD on IRP1. Densitometric analysis of IRP1 protein levels; beta-actin is shown as the loading control. Image collected and cropped by CiteAb from the following publication (<https://dx.plos.org/10.1371/journal.pone.0116855>), licensed under a CC-BY license.




Immunocytochemistry/Immunofluorescence: Aconitase 1 Antibody [NBP1-87677] - Staining of human cell line U-2 OS shows localization to cytosol & mitochondria. Antibody staining is shown in green.




Western Blot: Aconitase 1 Antibody [NBP1-87677] - Analysis in mouse cell line NIH-3T3 and rat cell line NBT-II.




Western Blot: Aconitase 1 Antibody [NBP1-87677] - Effect of fatty acids on IRP1 expression in HepG2 hepatocytes. IRP1 protein levels were evaluated by Western Blotting. Image collected and cropped by CiteAb from the following publication (<https://dx.plos.org/10.1371/journal.pone.0116855>), licensed under a CC-BY license.




Immunohistochemistry-Paraffin: Aconitase 1 Antibody [NBP1-87677] - Staining of human kidney shows strong cytoplasmic positivity in cells in tubules.



Immunohistochemistry-Paraffin: Aconitase 1 Antibody [NBP1-87677] - Staining of human skeletal muscle shows no positivity in myocytes as expected.



Western Blot: Aconitase 1 Antibody [NBP1-87677] - Effect of HFD on IRP1. A) Total IRP1 activity was measured by RNA band shift assay. B) Densitometric analysis of IRP1 activity. C) Hepatic IRP1 protein levels evaluated by Western Blotting. C) Densitometric analysis of IRP1 protein levels; β -actin is shown as the loading control. D). Effect of HFD on IRP1 & IRP2 mRNA levels. Gene expression was evaluated by qRT-PCR. The figure is representative of results obtained in 6 animals per group in two independent experiments. Values are expressed as means \pm SD. AU, arbitrary units. * $p < 0.05$ vs controls. Image collected & cropped by CiteAb from the following publication (<https://dx.plos.org/10.1371/journal.pone.0116855>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



Publications

Gu W, Fillebeen C, Pantopoulos K. Human IRP1 Translocates to the Nucleus in a Cell-Specific and Iron-Dependent Manner International Journal of Molecular Sciences 2022-09-15 [PMID: 36142654]

Haro KJ, Sheth A, Scheinberg DA et al. Dysregulation of IRP1-Mediated Iron Metabolism Causes Gamma Ray-specific Radioresistance in Leukemia Cells. PLoS One 2012-01-01 [PMID: 23155415]

Dongiovanni P, Lanti C, Gatti S et al. High fat diet subverts hepatocellular iron uptake determining dysmetabolic iron overload PLoS ONE. 2015-02-04 [PMID: 25647178] (WB, Human, Rat)

Details:

Aconitase 1 / IRP1 antibody used for WB on lysates of liver tissues from Rats which were fed regular diet, high-fat diet/HFD or HFD supplemented with iron/HFD + Iron (Figure 4C). WB also performed on lysates of human HepG2 hepatocytes which were treated or not with palmitic acid/PA (0.66 mM: saturated, C16:0) and oleic acid/OA (1 mM: n-9 mono-unsaturated, C18:1, cis), PA + OA + ferric ammonium citrate (FAC, 150 uM) or FAC only (Figure 6A).





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-87677

NBP1-87677PEP	Aconitase 1 Recombinant Protein Antigen
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-87677

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

