

Product Datasheet

Pericentrin Antibody - BSA Free NBP1-87772

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-87772

Updated 12/2/2025 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-87772



NBP1-87772

Pericentrin Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol


Product Description	
Description	Novus Biologicals Rabbit Pericentrin Antibody - BSA Free (NBP1-87772) is a polyclonal antibody validated for use in IHC and ICC/IF. Anti-Pericentrin Antibody: Cited in 3 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	5116
Gene Symbol	PCNT
Species	Human, Mouse
Reactivity Notes	Mouse reactivity reported from a verified customer review.
Marker	Centrosome Marker
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: MEDLQNFQKELAEQRAELEKIFQDKNQAERALRNLESHHQA AIEKLREDLQS EHGRLEDLEFKFKESEKEKQLELENLQASYEDLKAQSQEEIRRLWSQLDSAR TSRQELSELHEQLLARTSRVEDLEQLKQREKTQHESELE

Product Application Details	
Applications	Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25 - 2 ug/mL, Immunohistochemistry-Paraffin 1:200 - 1:500
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.




Images


Immunohistochemistry-Paraffin: Pericentrin Antibody [NBP1-87772] - Staining of human cerebral cortex, liver, placenta and testis using Anti-Pericentrin antibody NBP1-87772 (A) shows similar protein distribution across tissues to independent antibody NBP1-87771 (B).




Immunocytochemistry/Immunofluorescence: Pericentrin Antibody [NBP1-87772] - Smear of -20C methanol-fixed mouse small intestinal epithelial cells stained for ZO-1 (red) and pericentrin (green). ICC/IF image submitted by a verified customer review.




Immunohistochemistry-Paraffin: Pericentrin Antibody [NBP1-87772] - Staining of human liver shows no positivity in hepatocytes as expected.




Immunocytochemistry/Immunofluorescence: Pericentrin Antibody [NBP1-87772] - Staining of human cell line A-431 shows localization to centrosome. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: Pericentrin Antibody [NBP1-87772] - Staining of human testis shows high expression.



Immunohistochemistry-Paraffin: Pericentrin Antibody [NBP1-87772] - Staining in human testis and liver tissues using anti-PCNT antibody. Corresponding PCNT RNA-seq data are presented for the same tissues.



Immunohistochemistry-Paraffin: Pericentrin Antibody [NBP1-87772] - Staining of human cerebral cortex shows strong cytoplasmic positivity in neurons.



Publications

Dutto I, Gerhards J, Herrera A et al. Pathway-specific effects of ADSL deficiency on neurodevelopment eLife 2022-02-08 [PMID: 35133277] (ICC/IF, Human)

Pasdeloup D, Labetoulle M, Rixon FJ et al. Differing Effects of Herpes Simplex Virus 1 and Pseudorabies Virus Infections on Centrosomal Function. J Virol 2013-06-01 [PMID: 23596303]

Uhlen M, Oksvold P, Algenas C et al. Antibody-based Protein Profiling of the Human Chromosome 21. Mol Cell Proteomics 2012-03-01 [PMID: 22042635]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-87772

NBP1-87772PEP	Pericentrin Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-87772

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

