

Product Datasheet

TYRP1 Antibody - BSA Free

NBP1-88370

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-88370

Updated 12/22/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-88370



NBP1-88370

TYRP1 Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol


Product Description	
Description	Novus Biologicals Rabbit TYRP1 Antibody - BSA Free (NBP1-88370) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-TYRP1 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	7306
Gene Symbol	TYRP1
Species	Human, Mouse
Reactivity Notes	Mouse reactivity reported in scientific literature (Shridhar et al).
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: VCDICTDDLMSGSRSNFDSTLISPNSVFSQWRVVCDSLEDYDTLGTLCNSTEDG PIRRNPAGNVARPMVQRLPEPQDVAQCLEVLFDTPPFYSNSTNSFRNTVEGY SDPTGKYDPAVRS LH

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500
Application Notes	IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF, Fixation Permeabilization: Use PFA/Triton X-100.




Images


Immunocytochemistry/Immunofluorescence: TYRP1 Antibody [NBP1-88370] - Staining of human cell line SK-MEL-30 shows localization to vesicles. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: TYRP1 Antibody [NBP1-88370] - Analysis in human skin and cerebral cortex tissues. Corresponding TYRP1 RNA-seq data are presented for the same tissues.




Immunohistochemistry-Paraffin: TYRP1 Antibody [NBP1-88370] - Staining of human skin shows moderate to strong cytoplasmic positivity in melanocytes.




Immunohistochemistry-Paraffin: TYRP1 Antibody [NBP1-88370] - Staining of human cerebral cortex shows no positivity in neurons as expected.




Immunohistochemistry-Paraffin: TYRP1 Antibody [NBP1-88370] - Staining of human endometrium shows no positivity in glandular cells as expected.




Immunohistochemistry-Paraffin: TYRP1 Antibody [NBP1-88370] - Staining of human rectum shows moderate to strong cytoplasmic positivity in a subset of glandular cells and cells in stroma.



Analysis in control (vector only transfected HEK293T lysate) and TYRP1 over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells).



Analysis in human cell line SK-MEL-30.



Publications

Li MY, Flora P, Pu H Et al. UV-induced reduction in Polycomb repression promotes epidermal pigmentation *Developmental cell* 2021-08-30 [PMID: 34473941]

Mengoni M, Braun AD, Gaffal E, Tuting T C9orf72 in myeloid cells suppresses STING-induced inflammation *Int. J. Cancer* 2020-08-13 [PMID: 32790916] (WB, Human)

Shridhar N Novel vaccination strategies for CD4+ T cell immunotherapy of melanoma Thesis (ICC/IF, Mouse)

Shridhar N Novel vaccination strategies for CD4+ T cell immunotherapy of melanoma Thesis (WB, Mouse)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-88370

NBP1-88370PEP	TYRP1 Recombinant Protein Antigen
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-88370

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

