

# Product Datasheet

## Annexin A10 Antibody - BSA Free NBP1-90156

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

**Reviews: 2 Publications: 26**

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP1-90156](http://www.novusbio.com/NBP1-90156)

Updated 3/4/2026 v.20.1

**Earn rewards for product  
reviews and publications.**

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP1-90156](http://www.novusbio.com/reviews/destination/NBP1-90156)




**NBP1-90156**

Annexin A10 Antibody - BSA Free


Product Information	
<b>Unit Size</b>	0.1 ml
<b>Concentration</b>	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
<b>Storage</b>	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
<b>Clonality</b>	Polyclonal
<b>Preservative</b>	0.02% Sodium Azide
<b>Isotype</b>	IgG
<b>Purity</b>	Affinity purified
<b>Buffer</b>	PBS (pH 7.2) and 40% Glycerol
<b>Target Molecular Weight</b>	37 kDa
Product Description	
<b>Host</b>	Rabbit
<b>Gene ID</b>	11199
<b>Gene Symbol</b>	ANXA10
<b>Species</b>	Human
<b>Immunogen</b>	This antibody was developed against Recombinant Protein corresponding to amino acids: PPLYDAHELWHAMKGVGTDENCLIEILASRTNGEIFQMREAYCLQYSNNLQEDI YSETSGHFRDTLMNLVQGTREEGYTDPAMAAQDAMVLWEACQQKTGEHKTM LQMILCNK
Product Application Details	
<b>Applications</b>	Western Blot, Simple Western, Immunohistochemistry-Paraffin, Immunohistochemistry
<b>Recommended Dilutions</b>	Western Blot 0.04-0.4 ug/ml, Simple Western 1:20, Immunohistochemistry 1:1000 - 1:2500, Immunohistochemistry-Paraffin 1:1000 - 1:2500
<b>Application Notes</b>	For IHC-Paraffin, HIER pH 6 retrieval is recommended.  In Simple Western only 10 - 15 uL of the recommended dilution is used per data point. See <a href="#">Simple Western Antibody Database</a> for Simple Western validation: Tested in U-251MG sp, separated by Size, antibody dilution of 1:20, apparent MW was 43 kDa. Separated by Size-Wes, Sally Sue/Peggy Sue.

## Images


Analysis in human stomach and tonsil tissues using NBP1-90156 antibody. Corresponding ANXA10 RNA-seq data are presented for the same tissues.




Immunohistochemistry-Paraffin: Annexin A10 Antibody [NBP1-90156] - Staining of human stomach shows moderate to strong nuclear positivity in glandular cells.




Immunohistochemistry-Paraffin: Annexin A10 Antibody [NBP1-90156] - Staining of human tonsil shows no positivity as expected.




Immunohistochemistry-Paraffin: Annexin A10 Antibody [NBP1-90156] - Staining of human urinary bladder shows moderate nuclear positivity in urothelial cells.




Immunohistochemistry: Annexin A10 Antibody [NBP1-90156] - Histological & immunohistochemical staining of type A2 TSAs. a HE staining. b A high-power view showing the TSA component (red box in Fig. 2a). c A high-power view showing the precursor component (blue box in Fig. 2a). d Positive for annexin A10 expression. e Positive for MUC2 expression. f Positive for MUC5AC expression. g Negative for MUC6 expression. h Negative for CD10 expression. i Positive for annexin A10 expression. j Positive for MUC2 expression. k Positive for MUC5AC expression. l Negative for MUC6 expression. m Negative for CD10 expression Image collected & cropped by CiteAb from the following publication (<https://pubmed.ncbi.nlm.nih.gov/32535664>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.




Immunohistochemistry: Annexin A10 Antibody [NBP1-90156] - Histological & immunohistochemical staining of type A2 TSAs. a HE staining. b A high-power view showing the TSA component (red box in Fig. 2a). c A high-power view showing the precursor component (blue box in Fig. 2a). d Positive for annexin A10 expression. e Positive for MUC2 expression. f Positive for MUC5AC expression. g Negative for MUC6 expression. h Negative for CD10 expression. i Positive for annexin A10 expression. j Positive for MUC2 expression. k Positive for MUC5AC expression. l Negative for MUC6 expression. m Negative for CD10 expression Image collected & cropped by CiteAb from the following publication (<https://pubmed.ncbi.nlm.nih.gov/32535664>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.




Immunohistochemistry: Annexin A10 Antibody [NBP1-90156] - Histological & immunohistochemical staining of type A1 TSAs. a HE staining. b A high-power view showing the TSA component (red box in Fig. 1a). c A high-power view showing the precursor component (blue box in Fig. 1a). d Positive for annexin A10 expression. e Positive for MUC2 expression. f Partially positive for MUC5AC expression. g Negative for MUC6 expression. h Negative for CD10 expression. i Negative for annexin A10 expression. j Positive for MUC2 expression. k Positive for MUC5AC expression. l Negative for MUC6 expression. m Negative for CD10 expression Image collected & cropped by CiteAb from the following publication (<https://pubmed.ncbi.nlm.nih.gov/32535664>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.




Simple Western: Annexin A10 Antibody [NBP1-90156] - Electropherogram image(s) of corresponding Simple Western lane view. Annexin A10 antibody was used at 1:20 dilution on RT-4 and U-251MG lysate(s).



Simple Western: Annexin A10 Antibody [NBP1-90156] - Simple Western lane view shows a specific band for ANXA10 in 0.2 mg/ml of U-251MG sp lysate. This experiment was performed under reducing conditions using the 12-230 kDa separation system.



Analysis in human stomach tissue.



## Publications

Ishikawa A, Kuraoka K, Zaitso J et al. Loss of Annexin A10 Expression Is Associated with Poor Prognosis in Early Gastric Cancer ACTA HISTOCHEMICA ET CYTOCHEMICA 2020-10-29 [PMID: 33177783] (Immunohistochemistry-Paraffin, Human)

Herrera-López EE, Guerrero-Escalera D, Aguirre-Maldonado I et al. Annexins A2 and A5 are potential early biomarkers of hepatocarcinogenesis Scientific reports 2023-04-28 [PMID: 37117324]

Isidro R, Abukhiran I, Dunseth C et al. Strong Annexin A10 Expression Supports a Pancreatic Primary and Combined Annexin A10, Claudin 18, and SOX2 Expression Supports an Esophagogastric Origin in Carcinomas of Unknown Primary The American Journal of Surgical Pathology 2022-01-01 [PMID: 36730833]

Kobayashi G, Hayashi T, Sentani K et al. ANXA10 Expression Is Inversely Associated with Tumor Stage, Grade, and TP53 Expression in Upper and Lower Urothelial Carcinoma Pathobiology : journal of immunopathology, molecular and cellular biology 2022-07-01 [PMID: 35780773]

Ishikawa A, Kuraoka K, Zaitso J et al. Transcriptomic Analysis of Annexin A10 and Chemosensitivity in Gastric Adenocarcinoma Cells Anticancer research 2022-04-01 [PMID: 35346989] (IF/IHC, Human)

Chezar K, Mino P Appendiceal sessile serrated lesions are distinct from their right-sided colonic counterparts and may be precursors for appendiceal mucinous neoplasms Human Pathology 2022-02-01 [PMID: 35121004] (IHC-P, Human)

Tanaka, Y, Eizuka, M Et al. Traditional serrated adenoma has two distinct genetic pathways for molecular tumorigenesis with potential neoplastic progression. J Gastroenterol 2020-09-01 [PMID: 32535664] (WB, Mouse)

### Details:

Citation using the HRP format of this antibody.

Ishikawa A, Kuraoka K, Zaitso J Et al. High Annexin A10 expression is correlated with poor prognosis in pancreatic ductal adenocarcinoma Histology and histopathology 2021-11-25 [PMID: 34821375] (IHC-P, Human)

Singh H, Ha K, Hornick JL et al. Hybrid stomach-intestinal chromatin states underlie human Barrett's metaplasia Gastroenterology 2021-06-03 [PMID: 34090884]

Ueno T, Miura Y, Osawa H et al. Duodenal sessile serrated adenoma/polyp with characteristic endoscopic and pathologic features Clinical journal of gastroenterology 2021-03-01 [PMID: 33646513]

Ishikawa A, Kuraoka K, Zaitso J et al. Annexin A10 Expression Is Associated With Poor Prognosis in Small Bowel Adenocarcinoma Anticancer research 2021-03-01 [PMID: 33788726] (IHC-P, Human)

Macaron C, Lopez R et al. Expression of Annexin A10 in Serrated Polyps Predicts the Development of Metachronous Serrated Polyps. Clin Transl Gastroenterol 2016-01-12 [PMID: 27906163] (IF/IHC, Human)

More publications at <http://www.novusbio.com/NBP1-90156>



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP1-90156**

---

NBP1-90156PEP	Annexin A10 Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP1-90156](http://www.novusbio.com/reviews/submit/NBP1-90156)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

