

Product Datasheet

PGAM5 Antibody - BSA Free

NBP1-92257

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-92257

Updated 12/2/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-92257



NBP1-92257

PGAM5 Antibody - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Target Molecular Weight	32 kDa


Product Description	
Description	Novus Biologicals Rabbit PGAM5 Antibody - BSA Free (NBP1-92257) is a polyclonal antibody validated for use in IHC, WB, ICC/IF and Simple Western. Anti-PGAM5 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	192111
Gene Symbol	PGAM5
Species	Human
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: NWDREPLSLINVRKRNVESGEEELASKLDHYKAKATRHIFLIRHSQYHVDGSL EKDRTLPLGREQAELTGLRLASLGLKFNKIV

Product Application Details	
Applications	Western Blot, Simple Western, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Knockdown Validated
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Simple Western 1:60, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500, Knockdown Validated
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100. In Simple Western only 10 - 15 uL of the recommended dilution is used per data point. See Simple Western Antibody Database for Simple Western validation: Tested in RT-4, separated by Size, antibody dilution of 1:60, apparent MW was 38 kDa. Separated by Size-Wes, Sally Sue/Peggy Sue.




Images


Western Blot: PGAM5 Antibody [NBP1-92257] - Analysis in RT-4 cells transfected with control siRNA, target specific siRNA probe #1 and #2. Remaining relative intensity is presented. Loading control: Anti-PPIB.




Immunohistochemistry-Paraffin: PGAM5 Antibody [NBP1-92257] - Staining of human colon, liver, testis and tonsil using Anti-PGAM5 antibody NBP1-92257 (A) shows similar protein distribution across tissues to independent antibody NBP1-92258 (B).




Immunocytochemistry/Immunofluorescence: PGAM5 Antibody [NBP1-92257] - Staining of human cell line MCF7 shows localization to mitochondria. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: PGAM5 Antibody [NBP1-92257] - Staining of human liver shows moderate granular cytoplasmic positivity in hepatocytes.



Immunohistochemistry-Paraffin: PGAM5 Antibody [NBP1-92257] - Staining of human testis shows moderate granular cytoplasmic positivity in cells in seminiferous ducts.




Immunohistochemistry-Paraffin: PGAM5 Antibody [NBP1-92257] - Staining of human tonsil shows moderate granular cytoplasmic positivity in germinal center cells




Simple Western: PGAM5 Antibody [NBP1-92257] - Simple Western lane view shows a specific band for PGAM5 in 0.2 mg/ml of RT-4 lysate. This experiment was performed under reducing conditions using the 12-230 kDa separation system.




Simple Western: PGAM5 Antibody [NBP1-92257] - Electropherogram image(s) of corresponding Simple Western lane view. PGAM5 antibody was used at 1:60 dilution on RT-4 lysate(s).




Western Blot: Rabbit Polyclonal PGAM5 Antibody [NBP1-92257] - Whole cell lysates from MDA-MB-231, SUM159 and MCF-7 cells were loaded with 50 ug/lane. 10% SDS-PAGE. PGAM5 Antibody (NBP1-92257) was used for primary antibody: 1:1000, 4C, overnight. Image from a verified customer review.




Staining of human liver shows moderate granular cytoplasmic positivity in hepatocytes.




Staining of human colon shows moderate granular cytoplasmic positivity in glandular cells.



Analysis in RT-4 cells transfected with control siRNA, target specific siRNA probe #1 and #2. Remaining relative intensity is presented. Loading control: Anti-PPIB.



Staining of human tonsil shows moderate granular cytoplasmic positivity in germinal center cells.



Publications

Marzio A, Kurz E, Sahni JM et al. EMSY inhibits homologous recombination repair and the interferon response, promoting lung cancer immune evasion Cell 2022-01-06 [PMID: 34963055] (WB, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-92257

NBP1-92257PEP	PGAM5 Recombinant Protein Antigen
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-92257

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

