

Product Datasheet

RIPK2 Antibody (Nick-1) - BSA Free NBP1-97631

Unit Size: 0.05 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-97631

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-97631



NBP1-97631

RIPK2 Antibody (Nick-1) - BSA Free

Product Information

Unit Size	0.05 mg
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	Nick-1
Preservative	0.02% Sodium Azide
Isotype	IgG2a
Purity	Protein A or G purified
Buffer	PBS

Product Description


Description	Novus Biologicals Rat RIPK2 Antibody (Nick-1) - BSA Free (NBP1-97631) is a monoclonal antibody validated for use in WB. Anti-RIPK2 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rat
Gene ID	8767
Gene Symbol	RIPK2
Species	Human
Immunogen	Recombinant human RIP2 (receptor-interacting protein 2) (aa 1-322).

Product Application Details

Applications	Western Blot
Recommended Dilutions	Western Blot 1:100-1:2000

Images

Western Blot: RIPK2 Antibody (Nick-1) [NBP1-97631] - Detection of endogenous human RIP2 in different human cell lines by the MAb to RIP2 (Nick-1). Method: Total cell extracts (50ug) from Jurkat (lane1), THP-1 (lane 2) and HT1080 (lane 3) cell lines were run on a SDS-gel, and revealed with MAb to RIP2 (Nick-1) (1:1000 in 5% milk powder) for 1 hour at room temperature followed by incubation with HRP-coupled anti-rat secondary antibody (1:4000).

**Publications**

Janssens S, Tinel A, Lippens S et al. PIDD mediates NF-kappaB activation in response to DNA damage. Cell. 2005-12-01 [PMID: 16360037]

Lu C, Wang A, Dorsch M et al. Participation of Rip2 in lipopolysaccharide signaling is independent of its kinase activity. J Biol Chem. 2005-04-01 [PMID: 15691841]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-97631

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF005	Goat anti-Rat IgG Secondary Antibody [HRP]
NB7115	Goat anti-Rat IgG (H+L) Secondary Antibody [HRP]
NBP2-21947-0.1mg	Rat IgG2a Isotype Control (2A3)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-97631

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

