

Product Datasheet

ATIC Antibody (OTI1D2) NBP2-01941

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-01941

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-01941



NBP2-01941

ATIC Antibody (OTI1D2)

Product Information	
Unit Size	0.1 ml
Concentration	0.71 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI1D2
Preservative	0.02% Sodium Azide
Isotype	IgG1
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.3), 1.0% BSA and 50% Glycerol
Target Molecular Weight	64.4 kDa


Product Description	
Description	Novus Biologicals Mouse ATIC Antibody (OTI1D2) (NBP2-01941) is a monoclonal antibody validated for use in WB and Flow. Anti-ATIC Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	471
Gene Symbol	ATIC
Species	Human, Mouse, Rat, Canine, Monkey
Immunogen	Full length human recombinant protein of human ATIC(NP_004035) produced in HEK293T cell.

Product Application Details	
Applications	Western Blot, Flow Cytometry
Recommended Dilutions	Western Blot 1:500-2000, Flow Cytometry 1:100




Images


Western Blot: ATIC Antibody (OTI1D2) [NBP2-01941] - Blot showing the effect of hypoxia on the protein expression levels of the purine biosynthetic enzymes. HIF-1 alpha is stabilized in hypoxia as expected, and no significant increase in the purine enzymes was detected between normoxic (21% oxygen) and hypoxic (1% oxygen) growth conditions. The positions of molecular markers surrounding each band of interest are shown for each blot. ADSL (NBP2-03107), ATIC (NBP2-01941), FGAMS (NBP1-84691), GART (H00002618-M01), HIF-1a (NB100-449), PAICS (NBP2-02817), PPAT (NBP2-02056). Image collected and cropped by CiteAb from the following publication (<https://pubmed.ncbi.nlm.nih.gov/32439803/>) licensed under a CC-BY license.




Flow Cytometry: ATIC Antibody (OTI1D2) [NBP2-01941] - HEK293T cells transfected with either overexpression plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-ATIC antibody, and then analyzed by flow cytometry.



Western Blot: ATIC Antibody (OTI1D2) [NBP2-01941] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ATIC (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ATIC.



Western Blot: ATIC Antibody (OTI1D2) [NBP2-01941] - Analysis of extracts (35ug) from 9 different cell lines by using anti-ATIC monoclonal antibody.



Publications

Doigneaux C, Pedley AM, Mistry IN et al. Hypoxia Drives the Assembly of the Multi-Enzyme Purinosome Complex J. Biol. Chem. 2020-05-21 [PMID: 32439803]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-01941

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-01941

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

