

Product Datasheet

CXCL13/BLC/BCA-1 Antibody (RM0205-19N1) - Azide and BSA Free **NBP2-12223**

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-12223

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-12223



NBP2-12223

CXCL13/BLC/BCA-1 Antibody (RM0205-19N1) - Azide and BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	LYOPH mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	RM0205-19N1
Preservative	No Preservative
Reconstitution Instructions	Reconstitute with sterilized PBS to a final concentration of 0.5 mg/ml.
Isotype	IgG2
Purity	Protein A or G purified
Buffer	Lyophilized from a 0.2 um filtered solution in PBS. 0.025 mg size is provided in liquid form, PBS

Product Description	
Description	Novus Biologicals Rat CXCL13/BLC/BCA-1 Antibody (RM0205-19N1) - Azide and BSA Free (NBP2-12223) is a monoclonal antibody validated for use in IHC and WB. Anti-CXCL13/BLC/BCA-1 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rat
Gene ID	10563
Gene Symbol	CXCL13
Species	Mouse
Immunogen	Mouse recombinant CXCL13/BLC/BCA-1

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Block/Neutralize
Recommended Dilutions	Western Blot 1:250-1:1000, Immunohistochemistry, Immunohistochemistry-Paraffin, Block/Neutralize

Images

Immunohistochemistry-Paraffin: CXCL13/BLC/BCA-1 Antibody (RM0205-19N1) [NBP2-12223] - The Kidney tissue samples from the Folic Acid induced kidney injury model were fixed using 4% PFA at 4C for overnight and embedded in paraffin. 4um section was subjected to IHC with NBP2-12223



Publications

Chaurio RA, Anadon CM, Lee Costich T et al. TGF- β -mediated silencing of genomic organizer SATB1 promotes Tfh cell differentiation and formation of intra-tumoral tertiary lymphoid structures *Immunity* 2022-01-01 [PMID: 35021053]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-12223

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF005	Goat anti-Rat IgG Secondary Antibody [HRP]
NB7115	Goat anti-Rat IgG (H+L) Secondary Antibody [HRP]
NBP2-16041PEP	CXCL13/BLC/BCA-1 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-12223

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

