

Product Datasheet

TCR V delta 2 Antibody (15D) NBP2-22508

Unit Size: 200 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-22508

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-22508



NBP2-22508

TCR V delta 2 Antibody (15D)

Product Information	
Unit Size	200 ug
Concentration	0.15 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	15D
Preservative	0.1% Sodium Azide
Isotype	IgG1
Purity	Protein A purified
Buffer	PBS, 0.5% BSA


Product Description	
Description	Novus Biologicals Mouse TCR V delta 2 Antibody (15D) (NBP2-22508) is a monoclonal antibody validated for use in IHC, WB, Flow and IP. Anti-TCR V delta 2 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	28517
Gene Symbol	TRDV2
Species	Human, Drosophila, Primate
Reactivity Notes	This antibody reacts with Human. Drosophila reactivity reported in scientific literature (PMID: 18802083). Rhesus Monkey reactivity reported in scientific literature (PMID: 20660793).
Immunogen	Human TCR V delta 2

Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Frozen, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1 - 1:100, Flow Cytometry 1 - 2 ug, Immunohistochemistry 1:10 - 1:500, Immunoprecipitation 1:10 - 1:500, Immunohistochemistry-Frozen 1:10 - 1:500




Images

Western Blot: TCR V delta 2 Antibody (15D) [NBP2-22508] - Analysis of 25 ug of Jurkat (lane 1) and CEM (lane 2) cell lysates.



Flow Cytometry: TCR V delta 2 Antibody (15D) [NBP2-22508] - Analysis of TCR V delta 2 in Jurkat cells (green) compared to an isotype control (blue).



Publications

Deng S, Zhou F, Wang F et al. C5a enhances V β 1 T cells recruitment via the CCL2-CCR2 axis in IgA nephropathy International immunopharmacology 2023-10-18 [PMID: 37862725] (IHC-P, Human)

Details:
HMC Stimulation



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-22508

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-22508

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

