

Product Datasheet

TRANCE/TNFSF11/RANK L Antibody (12A380) - Azide and BSA Free NBP2-27402

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-27402

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-27402



NBP2-27402

TRANCE/TNFSF11/RANK L Antibody (12A380) - Azide and BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	12A380
Preservative	No Preservative
Isotype	IgG1 Kappa
Purity	Protein G purified
Buffer	PBS

Product Description	
Description	Novus Biologicals Mouse TRANCE/TNFSF11/RANK L Antibody (12A380) - Azide and BSA Free (NB100-56748) is a monoclonal antibody validated for use in IHC, WB and Flow. Anti-TRANCE/TNFSF11/RANK L Antibody: Cited in 4 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	8600
Gene Symbol	TNFSF11
Species	Human, Mouse
Immunogen	A bacterially expressed fusion protein containing amino acid residues 1-317 of mouse TRANCE was used as immunogen.


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Immunohistochemistry, Immunohistochemistry-Frozen, CyTOF-ready
Recommended Dilutions	Western Blot 1-5ug/ml, Flow Cytometry 1ul/1 million cells, Immunohistochemistry, Immunohistochemistry-Paraffin reported in scientific literature (PMID 18705798), Immunohistochemistry-Frozen 1:10-1:2000, Flow (Cell Surface), CyTOF-ready

Images


Flow Cytometry: TRANCE/TNFSF11/RANK L Antibody (12A380) - Azide Free [NBP2-27402] - Analysis using the Alexa Fluor (R) 488 conjugate. Staining of RANKL in untreated mouse splenocytes (green) and 72 hour ConA-stimulated mouse splenocytes (red) using this antibody. 1 ug of RANKL antibody was used for this assay.




Western Blot: TRANCE/TNFSF11/RANK L Antibody (12A380) - Azide Free [NBP2-27402] - analysis of recombinant RANKL (partial) probed with RANKL antibody at 1 ug/ml.




Immunohistochemistry: TRANCE/TNFSF11/RANK L Antibody (12A380) - Azide Free [NBP2-27402] - Analysis of FFPE human tonsil using TRANCE (12A380) antibody at 1:50 on a Bond Rx autostainer (Leica Biosystems). The assay involved 20 minutes of heat induced antigen retrieval (HIER) using 10mM sodium citrate buffer (pH 6.0) and endogenous peroxidase quenching with peroxide block. The sections were incubated with primary antibody for 30 minutes and Bond Polymer Refine Detection (Leica Biosystems) with DAB was used for signal development followed by counterstaining with hematoxylin. Whole slide scanning and capturing of representative images was performed using Aperio AT2 (Leica Biosystems). Cytoplasmic staining was observed. Staining was performed by Histowiz. Image using the standard format of this product.



Flow Cytometry: TRANCE/TNFSF11/RANK L Antibody (12A380) - Azide Free [NBP2-27402] - Analysis in RAW cells using 2 ug of PE conjugated antibody. Shaded histogram represents cells without antibody; green represents isotype control antibody; purple represents antibody.



Flow Cytometry: TRANCE/TNFSF11/RANK L Antibody (12A380) - Azide Free [NBP2-27402] - Analysis using the Alexa Fluor (R) 647 conjugate. Staining of RANKL in untreated mouse splenocytes (green) and 72 hour ConA-stimulated mouse splenocytes (red) using this antibody. 1 ug of RANKL antibody was used for this assay.



Publications

Kragstrup Tue Wenzel, Greisen Stinne Ravn, Nielsen Morten Aagaard et al. The interleukin-20 receptor axis in early rheumatoid arthritis: novel links between disease-associated autoantibodies and radiographic progression. *Arthritis Research & Therapy* 2016-03-11 [PMID: 26968800] (FLOW, Human)

Details:

This citation used the Azide Free version of this antibody.

Yoneda T, Ishimaru N, Arakaki R et al. Estrogen deficiency accelerates murine autoimmune arthritis associated with receptor activator of nuclear factor-kappa B ligand-mediated osteoclastogenesis. *Endocrinology*. 2004-05-01 [PMID: 14726437] (IHC-Fr, Flow-CS)

Details:

Flow Cytometry-cell surface staining: Figure 4A; (Immunohistochemistry-frozen sections: Figure 4E) for IMG-185A.

Walker CG, Ito Y, Dangaria S et al. RANKL, osteopontin, and osteoclast homeostasis in a hyperocclusion mouse model. *Eur J Oral Sci*. 2008-08-01 [PMID: 18705798] (IHC-P, Human)

Details:

Trance/RANKL/OPGL/ODF (IMG-185A). IHC (paraffin): Swiss Webster mouse mandible tissue, Fig 4.

Shetty R, Pepin A, Charest A et al. Expression of bone-regulatory proteins in human valve allografts. *Heart*. 2006-09-01 [PMID: 16449517] (IHC-Fr)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-27402

NBL1-17162	TRANCE/TNFSF11/RANK L Overexpression Lysate
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-27402

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

