

Product Datasheet

ATF2 [p Thr52] Antibody - Azide Free NBP2-29528

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-29528

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-29528



NBP2-29528

ATF2 [p Thr52] Antibody - Azide Free


Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	10mM HEPES (pH 7.5), 0.15M NaCl, 0.1 mg/ml BSA and 50% Glycerol
Target Molecular Weight	74 kDa

Product Description	
Description	Novus Biologicals Rabbit ATF2 [p Thr52] Antibody - Azide Free (NBP2-29528) is a polyclonal antibody validated for use in WB. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	1386
Gene Symbol	ATF2
Species	Human, Mouse
Reactivity Notes	Non-human primate. The antibody has been directly tested for reactivity in Western blots with UACC903 melanoma cells.
Specificity/Sensitivity	Specific for endogenous levels of the ~72 kDa ATF2 protein phosphorylated at Thr52. Immunolabeling of the ATF2 band is reduced by treatment of the cells with the PKC catalytic inhibitor Go6850.
Immunogen	Synthetic phospho-peptide corresponding to amino acid residues surrounding Thr52 conjugated to KLH. Accession # P15336
Preparation Method	Prepared from rabbit serum by affinity purification via sequential chromatography on phospho and dephosphopeptide affinity columns.

Product Application Details	
Applications	Western Blot
Recommended Dilutions	Western Blot 1:250

Images

Western Blot: ATF2 [p Thr52] Antibody [NBP2-29528] - Western blot of UACC903 melanoma cell line lysate (DMSO) showing specific immunolabeling of the ~72k ATF2 protein phosphorylated at Thr52. Immunolabeling is reduced by treatment of the lysate with the PKC catalytic inhibitor Go6850. Image courtesy of Eric Lau and Ze'ev Ronai.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-29528

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NB100-56331PEP	ATF2 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-29528

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

