

Product Datasheet

Advillin Antibody - BSA Free NBP2-34118

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-34118

Updated 1/25/2026 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-34118



NBP2-34118

Advillin Antibody - BSA Free


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol

Product Description	
Description	Novus Biologicals Rabbit Advillin Antibody - BSA Free (NBP2-34118) is a polyclonal antibody validated for use in IHC and WB. Anti-Advillin Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	10677
Gene Symbol	AVIL
Species	Human
Immunogen	This antibody was developed against a recombinant protein corresponding to amino acids: HASQDELAASAYQAVEVDRQFDGAAVQVRVRMGTEPRHFMAIFKGLVIFEG GTSRKGNAEPDPPVRLFQIHGNDKSNTKAVEVPA


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot, Immunohistochemistry 1:200 - 1:500, Immunohistochemistry-Paraffin 1:200 - 1:500
Application Notes	IHC-Paraffin, HIER pH 6 retrieval is recommended.

Images


Immunohistochemistry: Advillin Antibody [NBP2-34118] - Immunohistochemistry of paraffin embedded tissue from distal ileum of C57BL/6 J mice using N-villin (red) and advillin (green) antibodies. Nuclei are counter stained with DAPI. N-villin antibody does not cross-react with advillin in cells that express advillin in apical tufts and along the basolateral surface. Right panel shows higher magnification of boxed area. (d) Immunohistochemistry of cryopreserved tissue from distal ileum of C57BL/6 J mice using N-villin (red) and advillin (green) antibodies. Nuclei are counter stained with DAPI. N-villin does not co-localize with advillin in cells that express advillin in apical tufts and along the basolateral surface. Right panel shows higher magnification of boxed area. Image collected and cropped by CiteAb from the following publication (<https://www.nature.com/articles/s41598-020-65469-0>) licensed under a CC-BY license.




Western Blot: Advillin Antibody [NBP2-34118] - Specificity of villin and advillin antibodies was confirmed by Western analysis using recombinant full-length human villin and human advillin proteins. Two antibodies raised against the amino-terminus of villin (N-villin and N20-villin) did not cross-react with advillin compared to antibodies raised against the carboxyl-terminus of villin (C-villin) or full-length villin (FL-villin) protein. Antibodies raised against the amino-terminus of advillin (N-advillin) and those raised against the carboxyl-terminus of advillin (C-advillin) detect advillin better than they cross-react with villin. Original full length data are available in supplementary Fig S1. Image collected and cropped by CiteAb from the following publication (<https://www.nature.com/articles/s41598-020-65469-0>) licensed under a CC-BY license.




Immunohistochemistry-Paraffin: Advillin Antibody [NBP2-34118] - Staining of human lymphoid tissues shows no positivity as expected.



Immunohistochemistry-Paraffin: Advillin Antibody [NBP2-34118] - Staining of human stomach shows strong cytoplasmic positivity in neuroendocrine cells.



Immunohistochemistry-Paraffin: Advillin Antibody [NBP2-34118] - Staining of human duodenum shows strong cytoplasmic positivity in neuroendocrine cells.



Publications

Esmailniakooshghazi A, George SP, Biswas R et al. Mouse intestinal tuft cells express advillin but not villin
Scientific Reports 2020-06-01 [PMID: 32483224] (Mouse)

George SP, Esmailniakooshghazi A, Roy S, Khurana S F-actin bundling sites are conserved in proteins with villin
type headpiece domains Mol. Biol. Cell 2020-06-10 [PMID: 32520642]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-34118

NBP2-34118PEP	Advillin Recombinant Protein Antigen
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-34118

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

