

# Product Datasheet

## KCNK13 Antibody [Biotin] NBP2-41132B

Unit Size: 0.1 ml

Store at 4C in the dark.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-41132B](http://www.novusbio.com/NBP2-41132B)

Updated 7/11/2023 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-41132B](http://www.novusbio.com/reviews/destination/NBP2-41132B)



**NBP2-41132B**

KCNK13 Antibody [Biotin]

| Product Information         |  |
|-----------------------------|--|
| Unit Size                   | 0.1 ml   |
| Concentration               | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                     | Store at 4C in the dark.   |
| Clonality                   | Polyclonal   |
| Preservative                | 0.05% Sodium Azide   |
| Isotype                     | IgG  |
| Conjugate                   | Biotin   |
| Purity                      | Peptide affinity purified  |
| Buffer                      | PBS  |
| Product Description         |  |
| Host                        | Rabbit   |
| Gene ID                     | 56659  |
| Gene Symbol                 | KCNK13   |
| Species                     | Human, Mouse, Rat  |
| Reactivity Notes            | 0  |
| Specificity/Sensitivity     | KCNK13 antibody is predicted to not cross-react with other KCNK protein family members.  |
| Immunogen                   | Antibody was raised against a 15 amino acid synthetic peptide near the center of human KCNK13. The immunogen is located within amino acids 150 - 200 of KCNK13. Amino Acid Sequence: RRGALPQESLKDAGQ |
| Product Application Details |  |
| Applications                | Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry   |
| Recommended Dilutions       | Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin   |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined.   |





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP2-41132B**

---

|               |                                     |
|---------------|-------------------------------------|
| NBP2-24891B   | Rabbit IgG Isotype Control [Biotin] |
| NBP2-41132PEP | KCNK13 Antibody Blocking Peptide    |
| NBP2-06478    | KCNK13 Overexpression Lysate        |
| NB300-221     | GAPDH Antibody (1D4) - BSA Free     |

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-41132B](http://www.novusbio.com/reviews/submit/NBP2-41132B)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

