

Product Datasheet

CASK Antibody - BSA Free NBP2-41181

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-41181

Updated 3/4/2026 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-41181



NBP2-41181


CASK Antibody - BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Peptide affinity purified
Buffer	PBS
Product Description	
Host	Rabbit
Gene ID	8573
Gene Symbol	CASK
Species	Human, Mouse, Rat
Specificity/Sensitivity	At least six alternatively spliced transcript variants have been observed.
Immunogen	Antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human CASK. The immunogen is located within amino acids 760 - 810 of CASK. Amino Acid Sequence: YPIPHTTRPPKKDEENGKN
Product Application Details	
Applications	Western Blot, Simple Western, ELISA, Immunocytochemistry/Immunofluorescence
Recommended Dilutions	Western Blot 1 ug/mL, Simple Western, ELISA, Immunocytochemistry/Immunofluorescence 20 ug/mL
Application Notes	Simple Western reported in a verified customer review. See Simple Western Antibody Database for Simple Western validation: Tested in Differentiating human neuroepithelial stem cells, separated by Size, antibody dilution of 1:500 and 1:1000, apparent MW was 116, 38 kDa




Images


Western Blot: CASK Antibody [NBP2-41181] - Western blot analysis of CASK in mouse brain tissue lysate with CASK antibody at 1 ug/ml in (A) the absence and (B) the presence of blocking peptide.




Simple Western: CASK Antibody [NBP2-41181] - 0.6 mg/ml protein lysates from differentiating human neuroepithelial stem cells run on Simple Western with 1:500 CASK.Ab (blue) and 1:1000 CASK.Ab (pink) and an actin antibody as positive control. The CASK peak is located at 116 kDa and actin at 38 kDa. Image is courtesy of customer.



Simple Western: CASK Antibody - BSA Free [NBP2-41181] - Presynaptic effect is limited to inhibitory VGAT presynaptic marker. a Deconvolution of cell-type populations underlying bulk RNA-sequence samples from all cell lines. b Quantification of VGlut & Homer-1 particle size (n = 4 per cell line). c Representative confocal microscopy images of neurons differentiated for 28 days & immunostained for inhibitory VGAT (green), Homer-1 (red), & Hoechst (blue). Scale = 10 μ m. d Quantification of VGAT & Homer-1 particle size (n = 3 per cell line). Statistical differences between cell lines were calculated using ANOVA with post hoc Tukey HSD. *p < 0.05, **p < 0.01, ***p < 0.001. Asterisks are color-coded according to case cell lines. e In vivo concentration of GABA in the DLPFC, MFC, & putamen of ASD_CASK_SS & his cotwin in relation to a typical developed control group. Image collected & cropped by CiteAb from the following publication (<https://pubmed.ncbi.nlm.nih.gov/32929080>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



Immunocytochemistry/ Immunofluorescence: CASK Antibody - BSA Free [NBP2-41181] - Immunofluorescence of CASK in human brain tissue with CASK antibody at 20 ug/mL.



Publications

Li D Genetic implications of individual intervention and neuronal dysfunction in neurodevelopmental disorders Thesis 2022-01-01 (ICC/IF, WB, Human)

Becker M, Mastropasqua F, Reising JP et al. Presynaptic dysfunction in CASK-related neurodevelopmental disorders Transl Psychiatry 2020-09-14 [PMID: 32929080] (ICC/IF, Simple Western, WB, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-41181

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP1-86673PEP	CASK Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-41181

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

