

# Product Datasheet

## Angiogenin Antibody - BSA Free NBP2-41185

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

### Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-41185](http://www.novusbio.com/NBP2-41185)

Updated 10/15/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-41185](http://www.novusbio.com/reviews/destination/NBP2-41185)



**NBP2-41185**

Angiogenin Antibody - BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Peptide affinity purified
Buffer	PBS
Target Molecular Weight	16 kDa

Product Description	
Description	Novus Biologicals Rabbit Angiogenin Antibody - BSA Free (NBP2-41185) is a polyclonal antibody validated for use in IHC, WB, ELISA and ICC/IF. Anti-Angiogenin Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	283
Gene Symbol	ANG
Species	Human, Mouse, Rat
Specificity/Sensitivity	Two alternatively spliced transcript variants have been observed.
Immunogen	Antibody was raised against a 15 amino acid synthetic peptide near the center of human ANG. The immunogen is located within amino acids 70 - 120 of ANG. Amino Acid Sequence: NKNGNPHRENLRISKS


Product Application Details	
Applications	Western Blot, ELISA, Immunohistochemistry
Recommended Dilutions	Western Blot 1 - 2 ug/mL, ELISA, Immunohistochemistry 20 ug/ml
Application Notes	Use in IHC reported in scientific literature (PMID: 30008694).

**Images**


Western Blot: Angiogenin Antibody [NBP2-41185] - Angiogenin and EPCs modulation after human stroke and rehabilitation. (A) Infarct tissue and contralateral brain homogenates (less than or equal 4 days) were analyzed by western blot for angiogenin (n = 3). The densitometry results (arbitrary units) were corrected by the actin load and bar graph showing the angiogenin fold-change of the ipsilateral vs. contralateral signal. Image collected and cropped by CiteAb from the following publication (<http://www.frontiersin.org/article/10.3389/fneur.2018.00508/full>) licensed under a CC-BY license.




Western Blot: Angiogenin Antibody [NBP2-41185] - Analysis of ANG in rat liver tissue lysate with Ang antibody at (A) 1 and (B) 2 ug/mL.



Western Blot: Angiogenin Antibody - BSA Free [NBP2-41185] - Angiogenin & EPCs modulation after mouse cerebral ischemia & rehabilitation. (A) Infarct & contralateral mouse brain cortical homogenates were analyzed by western blot to quantify angiogenin protein (n = 3). The densitometry results (arbitrary units) were corrected by the actin load & are represented as fold-change of the ipsilateral vs. contralateral signal. (B) Bar graphs representing the angiogenin RNA expression in the ischemic & contralateral cortex in the short-term (n = 6–9) & long-term rehabilitation groups (n = 5), \*\*p < 0.01, \*p < 0.05 as indicated by horizontal lines. Non-RHB ipsilateral short-term vs. long-term; &p < 0.05. Pasta Matrix & Treadmill contralateral short-term vs. long-term; †p < 0.05. (C) Bar graphs showing the percentage of the Angiogenin+ area in the pasta matrix long-term rehabilitation group (n = 6) together with images of representative brains with inserts showing co-localization of angiogenin in neurons: scale bar represents 100  $\mu$ m. \*p < 0.05. (D) Graph showing the plasma angiogenin temporal profile of No-RHB, Pasta matrix, & Treadmill groups (n = 3–4/group); \*p < 0.05. (E) Box plots representing the cell density of EPCs from the three different RHB groups (n = 3–5 short-term; n = 6–7 long-term) & representative images of the primary cultures; scale bar represents 250  $\mu$ m. Data are represented as the mean  $\pm$  SEM or as box plots indicating the median (IQR). IP, ipsilateral; CL, contralateral; ST-R, short-term rehabilitation; LT-R, long-term rehabilitation; No-RHB, No-Rehabilitation; EPC, endothelial progenitor cells. Image collected & cropped by CiteAb from the following publication (<https://www.frontiersin.org/article/10.3389/fneur.2018.00508/full>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



Immunohistochemistry: Angiogenin Antibody - BSA Free [NBP2-41185] - Immunofluorescence of Angiogenin in human liver tissue with Angiogenin antibody at 20 ug/mL.



## Publications

Gabriel-Salazar M, Morancho A, Rodriguez S et al. Importance of Angiogenin and Endothelial Progenitor Cells After Rehabilitation Both in Ischemic Stroke Patients and in a Mouse Model of Cerebral Ischemia. *Front Neurol.* 2018-06-29 [PMID: 30008694] (IF/IHC, WB, Human)





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP2-41185**

---

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-41185](http://www.novusbio.com/reviews/submit/NBP2-41185)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

