

Product Datasheet

Lipocalin-2/NGAL Antibody (14) - BSA Free NBP2-41364

Unit Size: 100 ug

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-41364

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-41364



NBP2-41364

Lipocalin-2/NGAL Antibody (14) - BSA Free

Product Information	
Unit Size	100 ug
Concentration	1 mg/ml
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	14
Preservative	0.09% Sodium Azide
Isotype	IgG2b Kappa
Purity	Protein A or G purified
Buffer	10mM Phosphate (pH 7.4) and 0.5M NaCl


Product Description	
Description	Novus Biologicals Mouse Lipocalin-2/NGAL Antibody (14) - BSA Free (NBP2-41364) is a monoclonal antibody validated for use in IHC, WB and ELISA. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	3934
Gene Symbol	LCN2
Species	Canine, Human (Negative), Mouse (Negative), Rat (Negative)
Immunogen	Recombinant dog NGAL

Product Application Details	
Applications	Western Blot, ELISA, Immunohistochemistry, Sandwich ELISA, Sandwich ELISA Detection
Recommended Dilutions	Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Sandwich ELISA, Sandwich ELISA Detection
Application Notes	ELISA: NBP2-41364 binds free dog NGAL. NBP2-41364 (as biotinylated detection antibody) forms a sandwich ELISA pair with NBP2-23599 (as capture antibody) for measuring dog NGAL, giving a detection limit of 5 pg/mL in an unoptimized buffer assay. WB: NBP2-41364 can be used in Western blotting. IHC: NBP2-41364 was used in IHC in formaline fixed paraffin embedded tissue with a dilution of 1:50.




Images

Immunohistochemistry: Lipocalin-2/NGAL Antibody (14) - BSA Free [NBP2-41364]



Sandwich ELISA: Lipocalin-2/NGAL Antibody (14) - BSA Free [NBP2-41364] - Analysis using the Biotin conjugate of NBP2-41364. The calibration curve using NBP2-23595 as the biotinylated detection antibody and NBP2-41364 as the capture antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-41364

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-43317-0.5mg	Mouse IgG2b Kappa Light Chain Isotype Control (MG2b)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-41364

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

