

Product Datasheet

5-MethylCytosine Antibody (4111) - Azide and BSA Free NBP2-42814

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-42814

Updated 9/25/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-42814



NBP2-42814

5-MethylCytosine Antibody (4111) - Azide and BSA Free


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	4111
Preservative	No Preservative
Isotype	IgG1
Purity	Protein G purified
Buffer	PBS

Product Description	
Description	Novus Biologicals Mouse 5-MethylCytosine Antibody (4111) - Azide and BSA Free (NBP2-42814) is a monoclonal antibody validated for use in IHC. Anti-5-MethylCytosine Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Species	All Species
Immunogen	The immunogen used to generate this antibody corresponds to 5-MethylCytosine


Product Application Details	
Applications	Immunohistochemistry-Paraffin, Dot Blot, Electron Microscopy, Immunohistochemistry, Immunohistochemistry-Frozen, Methylated DNA Immunoprecipitation, Immunohistochemistry Whole-Mount
Recommended Dilutions	Immunohistochemistry 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000, Immunohistochemistry-Frozen Assay dependent, Dot Blot 1:100 - 1:2000, Electron Microscopy Assay dependent, Methylated DNA Immunoprecipitation Assay dependent, Immunohistochemistry Whole-Mount 1:50-1:500

Images


Immunohistochemistry-Paraffin: 5-MethylCytosine Antibody (4111) [NBP2-42814] - Paraffin-embedded rat brain. 5-Methylcytosine / 5-mC antibody diluted at 1:200.




Immunohistochemistry-Paraffin: 5-MethylCytosine Antibody (4111) [NBP2-42814] - Analysis of human ovarian carcinoma. 5-Methylcytosine / 5-mC antibody [4111] dilution: 1:200.




Immunohistochemistry-Paraffin: 5-MethylCytosine Antibody (4111) [NBP2-42814] - Analysis of mouse testis. 5-Methylcytosine / 5-mC antibody [4111] dilution: 1:200.




Immunohistochemistry-Paraffin: 5-MethylCytosine Antibody (4111) [NBP2-42814] - Analysis of mouse urinary bladder. 5-Methylcytosine / 5-mC antibody [4111] dilution: 1:200.




Immunohistochemistry Whole-Mount: 5-MethylCytosine Antibody (4111) [NBP2-42814] - Analysis of 24 hours-post-fertilization zebrafish embryo. 5-Methylcytosine / 5-mC antibody [4111] dilution: 1:50.



Methylated DNA Immunoprecipitation: 5-MethylCytosine Antibody (4111) [NBP2-42814] - Analysis of 24 hours-post-fertilization zebrafish embryo. 5-Methylcytosine / 5-mC antibody [4111] dilution: 1:50.



Dot Blot: 5-MethylCytosine Antibody (4111) [NBP2-42814] - Analysis of anti-5-mC antibody with the synthetic DNA controls . DNA samples (0.5 to 50 ng) were spotted onto positively charged nylon membrane and blotted with 5-mC antibody at a dilution of 1:500. A: Unmethylated DNA fragment B: DNA fragment containing 5-methylcytosine C: DNA fragment containing 5-hydroxymethylcytosine D: DNA fragment containing 5-formylcytosine E: DNA fragment containing 5-carboxylcytosine .



Publications

Yang C, Deng L, Bao F et al. Sevoflurane with Low Concentration Decrease DNA Methylation on Chronic Obstructive Pulmonary Disease (COPD)-Related Gene Promoter in COPD Rat COPD 2023-12-01 [PMID: 38010369] (DB)

Herwig-Carl, MC;Sharma, A;Holler, T;Holz, FG;Schlitter, AM;Loeffler, KU; Spatial intratumor heterogeneity in uveal melanoma: Tumor cell subtypes with a presumed invasive potential exhibit a particular epigenetic staining reaction Exp. Eye Res. 2019-04-04 [PMID: 30954503] (IHC-P, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-42814

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NBP2-62131	5-MethylCytosine ELISA Kit (Colorimetric)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-42814

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

