

Product Datasheet

HA Tag Antibody (4810) - Azide and BSA Free NBP2-43714

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 3 Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-43714

Updated 9/25/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-43714



NBP2-43714

HA Tag Antibody (4810) - Azide and BSA Free


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	4810
Preservative	No Preservative
Isotype	IgG2a
Purity	Protein G purified
Buffer	PBS

Product Description	
Description	Novus Biologicals Mouse HA Tag Antibody (4810) - Azide and BSA Free (NBP2-43714) is a monoclonal antibody validated for use in WB, Flow, ICC/IF and IP. Anti-HA Tag Antibody: Cited in 4 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Species	Epitope Tag
Immunogen	The immunogen used to generate this antibody corresponds to HA Tag


Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000 - 1:10000, Flow Cytometry Valdiation from verified customer review, Immunocytochemistry/ Immunofluorescence 1:100 - 1:1000, Immunoprecipitation 1:100 - 1:500

Images


Immunocytochemistry/Immunofluorescence: HA Tag Antibody (4810) [NBP2-43714] - HA-tag tagged protein transfected 293T cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: HA stained by HA tag antibody [4810] diluted at 1:1000. Blue: Hoechst 33342 staining.




Western Blot: HA Tag Antibody (4810) [NBP2-43714] - Human HEK293T cells overexpressed with Ly6K-HA. Dution 1:1000. Western blot image submitted by a verified customer review.




Flow Cytometry: HA Tag Antibody (4810) [NBP2-43714] - HEK293T cells overexpressed with Ly6K-HA stained with HA Epitope Tag Antibody (red) or secondary only (black). Flow cytometry image submitted from a verified customer review.



Western Blot: HA Tag Antibody (4810) [NBP2-43714] - Analysis of 293T whole cell lysate/extract A: 20 ug whole cell lysate/extract of HA tagged protein expressing 293T cells B : Control with 2.5 ug of pre-immune mouse IgG C: Immunoprecipitation of HA tagged protein by 2.5 ug of HA tagg antibody 10% SDS-PAGE. The immunoprecipitated HA tagged protein was detected by HA tag antibody [4810] diluted at 1:3000. EasyBlot anti-mouse IgG (HRP) was used as a secondary reagent.



Western Blot: HA Tag Antibody (4810) [NBP2-43714] - Analysis of A: 30 ug HeLa whole cell lysate/extract B: 30 ug whole cell lysate/extract of HA tagged protein expressing HeLa cells 5% SDS-PAGE HA tag antibody [4810] dilution: 1:5000.



Publications

Gray D, Santos J, Keir A et al. A comparison of DNA repair pathways to achieve a site-specific gene modification of the Bruton's tyrosine kinase gene Molecular Therapy - Nucleic Acids 2022-03-01 [PMID: 35036061] (WB)

Gray DH, Villegas I, Long J et al. Optimizing Integration and Expression of Transgenic Bruton's Tyrosine Kinase for CRISPR-Cas9-Mediated Gene Editing of X-Linked Agammaglobulinemia The CRISPR journal 2021-04-01 [PMID: 33876953]

Yuan J, Ng WH, Yap J et al. The AMPK inhibitor overcomes the paradoxical effect of RAF inhibitors through blocking phospho-Ser-621 in the C terminus of CRAF J Biol Chem 2018-07-22 [PMID: 30030377] (IP)

Alsaadi R HNRNPR Variants that Impair Homeobox Gene Expression Drive Developmental Disorders in Humans Am. J. Hum. Genet. 2019-04-24 [PMID: 31079900] (WB)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-43714

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-96778	Mouse IgG2a Isotype Control (M2A)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-43714

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

