

Product Datasheet

S-Tag Epitope Tag Antibody (247) - Azide and BSA Free NBP2-43726

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-43726

Updated 9/25/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-43726




NBP2-43726**S-Tag Epitope Tag Antibody (247) - Azide and BSA Free**


Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	247
Preservative	No Preservative
Isotype	IgG2b
Purity	Protein G purified
Buffer	PBS
Product Description	
Description	Novus Biologicals Mouse S-Tag Epitope Tag Antibody (247) - Azide and BSA Free (NBP2-43726) is a monoclonal antibody validated for use in WB and IP. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Species	Epitope Tag
Immunogen	The immunogen used to generate this antibody corresponds to S-Tag Epitope Tag
Product Application Details	
Applications	Western Blot, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000-1:10000, Immunoprecipitation 1:500-1:1000

Images

Western Blot: S-Tag Epitope Tag Antibody (247) [NBP2-43726] - Analysis of A. 30 ug 293T whole cell lysate/extract B. 30 ug whole cell lysate/extract of S-tagged protein expressing 293T cells 12 % SDS-PAGE S Tag antibody dilution: 1:5000.



Western Blot: S-Tag Epitope Tag Antibody (247) [NBP2-43726] - Analysis of 400 ug cell lysate/extract of S-fused gene transfected 293T cells A. 30 ug lysate/extract of transfected 293T cell B. Control with 2 ug of preimmune mouse IgG C. Immunoprecipitation of S-fused protein by 2 ug of S tag antibody 12% SDS-PAGE The immunoprecipitated S-fused protein was detected by S tag antibody diluted at 1:1000. EasyBlot anti-mouse IgG was used as a secondary reagent.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-43726

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP2-27231	Mouse IgG2b Isotype Control (MPC-11)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-43726

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

