

Product Datasheet

Cytochrome P450 26B1 Antibody (T5P3G2* A3) - BSA Free NBP2-50195

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-50195

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-50195



NBP2-50195

Cytochrome P450 26B1 Antibody (T5P3G2*A3) - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	T5P3G2*A3
Preservative	0.02% Sodium Azide
Isotype	IgG1 Kappa
Purity	Protein A purified
Buffer	PBS
Product Description	
Description	Novus Biologicals Mouse Cytochrome P450 26B1 Antibody (T5P3G2*A3) - BSA Free (NBP2-50195) is a monoclonal antibody validated for use in IHC and WB. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	56603
Gene Symbol	CYP26B1
Species	Human, Mouse, Rat
Immunogen	Ovalbumin-conjugated synthetic peptide DSNQNEILPE (C-terminal sequence)
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 1:100 - 1:2000, Immunohistochemistry 1:10 - 1:500, Immunohistochemistry-Paraffin 1:10-1:500
Application Notes	Positive control(s): IHC: formalin-fixed, paraffin-embedded colon carcinoma sections; Western blot: overexpression lysates.

Images

Western Blot: Cytochrome P450 26B1 Antibody (T5P3G2-A3) [NBP2-50195] - Detection of P450 26B1 in a overexpression lysate.

WB: over
expression
lysates
- +



CYP26B1: 1/2
dilution

Immunohistochemistry-Paraffin: Cytochrome P450 26B1 Antibody (T5P3G2-A3) [NBP2-50195] - Staining of a colon carcinoma cross section.

IHC: wax-embedded human
colon carcinoma



CYP26B1: neat supernatants

Immunohistochemistry: Cytochrome P450 26B1 Antibody (T5P3G2-A3) [NBP2-50195] - Staining of tissue in normal and two disease states.

Normal

Tumour

Metastasis





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-50195

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-50195

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

