

Product Datasheet

p130Cas/BCAR1 [p Tyr410] Antibody - BSA Free NBP2-54638-0.05mg

Unit Size: 0.05 mg

Store at -20 °C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-54638

Updated 10/23/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-54638



NBP2-54638-0.05mg

p130Cas/BCAR1 [p Tyr410] Antibody - BSA Free

Product Information	
Unit Size	0.05 mg
Concentration	1 mg/ml
Storage	Store at -20 °C.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Epitope affinity purified
Buffer	PBS (pH 7.4) (without Mg ²⁺ and Ca ²⁺), 150mM NaCl, 50% Glycerol
Target Molecular Weight	130 kDa


Product Description	
Description	Novus Biologicals Rabbit p130Cas/BCAR1 [p Tyr410] Antibody - BSA Free (NBP2-54638) is a polyclonal antibody validated for use in IHC and WB. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	9564
Gene Symbol	BCAR1
Species	Human, Mouse, Rat
Specificity/Sensitivity	The antibody detects endogenous levels of p130Cas/BCAR1 only when phosphorylated at tyrosine 410.
Immunogen	p130 Cas (phospho Tyr410) antibody was raised against a peptide sequence around phosphorylation site of tyrosine 410 (G-V-Y (p)-A-V) derived from Human p130 Cas .

Product Application Details	
Applications	Western Blot, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500-1:1000, Immunohistochemistry 1:50-1:100




Images

Western Blot: p130Cas/BCAR1 [p Tyr410] Antibody [NBP2-54638] - Western blot analysis of extracts from K562 cells (Lane 2) and 3T3 cells (Lane 3), using P130 Cas/BCAR1 [p Tyr410] Antibody. The lane on the left is treated with antigen-specific peptide.



Immunohistochemistry: p130Cas/BCAR1 [p Tyr410] Antibody [NBP2-54638] - Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue, using p130Cas/BCAR1 [p Tyr410] antibody (left) or the same antibody preincubated with blocking peptide (right).





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-54638-0.05mg

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-54638

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

