

Product Datasheet

FANCD2 Antibody (1290D) - BSA Free NBP2-54808

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-54808

Updated 2/24/2026 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-54808



NBP2-54808

FANCD2 Antibody (1290D) - BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	1290D
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Protein A or G purified from cell culture supernatant
Buffer	PBS
Target Molecular Weight	164.1 kDa

Product Description	
Description	Novus Biologicals Knockout (KO) Validated Rabbit FANCD2 Antibody (1290D) - BSA Free (NBP2-54808) is a recombinant monoclonal antibody validated for use in IHC, WB, Flow and Simple Western. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	2177
Gene Symbol	FANCD2
Species	Human
Immunogen	This FANCD2 Antibody (1290D) was developed against human FANCD2 fusion protein (N-terminal fragment). [Swiss-Prot #Q9BXW9]


Product Application Details	
Applications	Western Blot, Simple Western, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Intracellular), Immunohistochemistry, Knockout Validated
Recommended Dilutions	Western Blot 0.1 - 0.5 ug/ml, Simple Western 1 ug/ml, Flow Cytometry 1 ug/ml, Immunohistochemistry 5-10 ug/ml, Immunohistochemistry-Paraffin 5-10 ug/ml, Flow (Intracellular), Knockout Validated

Images


Western Blot: FANCD2 Antibody (1290D) [NBP2-54808] - Western blot shows lysates of HeLa human cervical epithelial carcinoma parental cell line and FANCD2 knockout (KO) HeLa cell line. PVDF membrane was probed with 0.1 ug/mL of Rabbit Monoclonal (Catalog # NBP2-54808) followed by HRP-conjugated Anti-Rabbit IgG Secondary Antibody (Catalog #HAF008). Specific band was detected for FANCD2 at approximately 150 kDa (as indicated) in the parental HeLa cell line, but is not detectable in the knockout HeLa cell line. This experiment was conducted under reducing conditions.




Simple Western: FANCD2 Antibody (1290D) [NBP2-54808] - Detection of Human FANCD2 by Simple Western using FANCD2 Antibody (1290D) in HeLa and K562 cell lysate.




Immunohistochemistry: FANCD2 Antibody (1290D) [NBP2-54808] - FANCD2 was detected in immersion fixed paraffin-embedded sections of human tonsil using Rabbit Anti-Human FANCD2 Antibody (1290D) (Catalog # NBP2-54808) at 5 ug/mL for 1 hour at room temperature followed by incubation with the Anti-Rabbit IgG VisUCyte(TM) HRP Polymer Antibody (Catalog # VC003). Tissue was stained using DAB (brown) and counterstained with hematoxylin (blue). Specific staining was localized to nuclei.



Flow (Intracellular): FANCD2 Antibody (1290D) [NBP2-54808] - An intracellular stain was performed on HeLa Cells with FANCD2 Antibody (1290D) (blue) and a matched isotype control MAB1050 (orange). Cells were fixed with 4% paraformaldehyde, following fixation, cells were permeabilized with 0.1% saponin. Cells were incubated in an antibody dilution of 1 ug/mL for 30 minutes at room temperature, followed by rabbit IgG APC-conjugated secondary antibody (F0111, R&D Systems).



Western Blot: FANCD2 Antibody (1290D) [NBP2-54808] - Total protein from HeLa and K562 cells (Molecular weight: 164.1 KDa) was separated on a 7.5% gel by SDS-PAGE, transferred to PVDF membrane and blocked in 5% non-fat milk in TBST. The membrane was probed with 0.1 ug/ml FANCD2 Antibody (1290D) (catalog number NBP2-54808) in blocking buffer and detected with an anti-rabbit HRP secondary antibody using chemiluminescence.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-54808

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-54808

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

